

SOUTH AUSTRALIA.

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL OF BIRTHS, DEATHS,
AND MARRIAGES.

1884.

ADELAIDE:

PRINTED BY E. SPILLER, GOVERNMENT PRINTER, NORTH-TERRACE.

1885.

REPORT.

General Register Office, Adelaide, March 20th, 1885.

Sir—I have the honor to present a report of Births, Deaths, and Marriages for the year 1884.

The registered births numbered 11,847; the deaths, 4,789; and the marriages, 2,555.

The natural increase, or excess of births over deaths, is 7,058. This increase exceeds that of 1883 by 320. The rate of increase to every 100 of the population is 2.27. In the years 1881-83, respectively, the rate of increase was 2.34, 2.20, and 2.25 per cent.

BIRTHS.

The births, 11,847 (males, 6,051; females, 5,796), are higher in number than those of any preceding year.

The birth-rate to every 1,000 of the population is 37.69. This is the highest rate since 1880, when the birth-rate was 38.81—the maximum in the ten years from 1875.

Illegitimate Births.—There were 249 illegitimate births. The rate to 100 of the whole number of births registered is 2.1 per cent. In 1881, 1882, and 1883, the proportion was 2.25, 2.25, and 1.75 respectively. In the city of Adelaide and suburbs the rate to 100 of births registered was 3.3; in the country districts, collectively, 1.1. The illegitimate birth-rate to 1,000 of the population is 0.44.

In the district of Adelaide the birth-rate is 48.8 for 46.4, in 1883; Norwood, 52.8 for 49.1; Hindmarsh, 54.0 for 52.5; Port Adelaide, 49.2 for 47.5; Daly, 43.4 for 39.5; Frome, 44.4 for 36.7. In eight districts, Robe, Grey, Highercombe, Port Gawler, Kapunda, Burra, and Clare, the birth-rate is under that of last year.

In the quarterly divisions of the year the second quarter has the highest number of registrations, 3,140; succeeded by the third 3,095. In the fourth and first quarters the births were 2,845 and 2,767, respectively. In 1883 the highest number was registered in the third quarter. Both in the last year and in the present the numbers in the second and third quarters are closely approximated. In the former year the numbers were 2,989 and 3,011 (the third quarter being 22 in excess of the second); in the latter, 3,140 and 3,095 (the second quarter being 45 in excess of the third). The proportion of births to the whole number registered is—in the first quarter, 23.3; in the second, 26.6; in the third, 26.1; in the fourth, 24.0. The highest number registered in one month occurred in May, 1,112. In each of four months in succession, from July to October, the births were above 1,000.

The births of males are in the proportion of 104.4 to 100 of females. The proportion in England is 103.8 males to 100 females; in Queensland, 105.3; Victoria, 104.6; New South Wales, 104.6.

The number of births to each marriage in the previous year (1883) is 4.66.

DEATHS.

The deaths number 4,789—males, 2,638; females, 2,151. This number is the highest that as yet has been registered in any one year, exceeding that of 1883 by 354.

The death-rate per 1,000 of the population is 15.24; which is higher than any annual death-rate recorded, excepting that of 1878, which was 15.44.

In the forty-fifth annual report of the Registrar-General of England (1882) the proportion of deaths to 1,000 persons living is given at 19.6, which it is said, with one exception, is the lowest yet recorded.

The death-rate to 1,000 of the population in the districts is thus given:—

	1884.	1883.
Adelaide	29.7	27.8
Norwood	21.2	19.1
Hindmarsh	19.2	19.4
Port Adelaide	16.7	15.3
Daly	13.5	13.8
Grey	12.5	10.3
Strathalbyn	20.5	15.1
Nairne	18.4	12.0
Barossa	13.9	13.0
Angaston	22.1	8.0
Kapunda	12.3	11.6
Gilbert	10.1	13.5
Burra	15.1	12.1
Clare	11.4	9.9
Frome	15.3	13.4

In all the above-named districts, with the exception of Hindmarsh, Daly, and Gilbert, there has been a considerable increase in the death-rate.

The rate of mortality per 1,000 living in the corporate towns is thus given:—

	1884.	1883.
Adelaide	24.4	23.9
Hindmarsh	16.1	20.1
Thebarton	27.6	—
Port Adelaide	15.9	18.8
Semaphore	12.8	—
Glenelg	22.3	14.9
Brighton	16.8	7.3
Unley	22.1	26.7
Norwood & Kensington	16.2	18.3
Gawler	18.3	17.3
Kapunda	16.6	23.8
Burra	16.5	15.4
Clare	14.8	12.0
Jamestown	8.3	19.4
Port Augusta	39.5	50.7
Port Pirie	33.0	31.4
Kadina	18.5	21.3
Moonta	34.2	35.3
Wallaroo	13.2	17.0
Goolwa	14.5	21.5
Strathalbyn	28.1	19.9
Mount Gambier	27.7	19.7

In Adelaide, Glenelg, and Brighton, the death-rate, compared with the previous year, is higher. In five of the towns in the immediate neighborhood of Adelaide the rate is lower. In six of the towns more remote the death-rate is higher; in seven lower.

Of the whole number of deaths, 4,789, the deaths in the cities number 2,316, the proportion to every hundred being 48·4; the country districts, 2,473, the proportion being 51·6. To 1,000 of the population the death-rate in the cities collectively was 7·36; in the country districts, 7·86.

In Adelaide the death-rate to 1,000 of its population is 24·4; the death-rate without the city, to the population, 13·8.

The following return shows the estimated population and the births and deaths registered in *Adelaide and suburbs* (including hospitals, &c.) during the ten years ended with 1884:—

Year.	Estimated Population.	Births.		Deaths.	
		Total Number.	No. per 1,000 of the Population.	Total Number.	No. per 1,000 of the Population.
1875	63,596	2,539	39·92	1,732	27·23
1876	69,949	2,866	40·97	1,573	22·48
1877	76,499	3,115	40·72	1,508	19·71
1878	83,058	3,473	41·81	1,771	21·32
1879	89,607	3,945	44·03	1,818	20·29
1880	96,356	4,003	41·54	2,014	20·90
1881	103,864	4,424	42·59	2,145	20·65
1882	110,422	4,657	42·17	2,337	21·16
1883	116,879	5,014	42·89	2,449	20·95
1884	123,538	5,291	42·82	2,621	21·21
Mean of 10 years	93,376	3,932	41·94	1,996	21·38

The death-rate in 1875, compared with that of the succeeding years, is notably high, being very much in excess of any given in the stated period; also that of 1876 is exceptionally high. These high and exceptional rates may have unduly raised the ten years' average; so that it does not express the correct mortality. In England the mean rate of the ten years from 1873 to 1882 (according to the latest tables published) is—for urban districts, 22·4; rural, 18·6.

Of the registered deaths 2,638 were males, 2,151 females; an excess of the former over the latter of 487. The proportion of the deaths of males to 1,000 of the whole number of deaths is 550·8; that of females 449·2. The death-rate of males to the population is 15·2, that of females 14·4. To 100 deaths of females the deaths of males were 122·6.

To every 1,000 deaths at all ages the death-rate at the different periods of life was:—

	Under 1 year	5	20	40	60	80	80 and upwards.
1884	332	154	87	156	122	125	24
1883	367	137	71	148	132	127	18
1882	375	121	76	157	133	117	21

From the above it would appear that the proportion of the deaths of infants under one year of age has lessened by 4 per cent. since 1882, while that of children under five has increased in a like ratio. The proportion of the deaths of children at the ages 0·5 years is 486 in 1884, and 496 in 1882. Deaths under 20 years have increased 1 per cent.; at 40 there is the same proportion, at 60 a decrease of 1 per cent., at 80 an increase of 1 per cent., at 80 and upwards an increase from 2·1 to 2·4.

The comparative death-rate at all ages between one country and another, and more especially between an old country and a new, has been considered as not affording a sufficiently correct indication of health; consequently the following table has been prepared, setting forth—

Death-rates at successive age-periods, per 1,000 persons living at each period.

	Year.	
	1884.	England, 1882.
All ages	15·24	19·6
Under five years	55·8	58·0
Five and under ten	5·0	6·1
Ten and under fifteen	3·0	3·3
Fifteen and under twenty	4·7	4·7
Twenty and under twenty-five	6·4	5·9
Twenty-five and under thirty-five	8·6	8·1
Thirty-five and under forty-five	10·4	11·7
Forty-five and under fifty-five	14·9	17·0
Fifty-five and under sixty-five	29·7	30·3
Sixty-five and under seventy-five	63·4	61·3
Seventy-five and under eighty-five	185·0	130·7
Eighty-five and upward	852·9	267·9

Out of the twelve stated life-periods, the death-rates of six, in South Australia, are lower; of five, above; and one is equal; comparatively to the rates in England—under five years, and in the period forty-five and under fifty-five years, the rate is considerably lower. In the highest, seventy-five and upwards, the death-rate is valueless from the deficiency of population in those periods.

The deaths of infants under one year of age relatively to the births in the year are 134 per 1,000. In the previous years, 1882 and 1883, the proportion was 152 and 146. Ten years' mean proportion in England is given as 146. (Annual report 45.)

The proportion of infantile deaths to the births in the city of Adelaide was 191; or, exclusive of deaths in public institutions, 178.

The deaths in the present year were most numerous in the first quarter of the year, 1,415. This is according to the proportion usually observed in previous years (that of last year being the sole exception to this rule). The next in succession, numerically the highest, is the second quarter, 1,282. The fourth and third number respectively 1,035 and 1,057.

The quarterly death-rate per 1,000 population, in the years 1880–84, are thus given:—

Quarter ending—	1880.	1881.	1882.	1883.	1884.
March 31	16·8	17·12	18·59	15·48	18·17
June 30	15·32	15·24	15·38	14·67	16·39
September 30	14·32	11·48	11·40	12·00	13·40
December 31	12·81	12·80	14·08	19·02	13·04

The seasonal rate from highest to lowest is observed with great regularity, the order of procession being the first, second, fourth, and third quarter. Exceptionally, as in 1880, the rate in the third quarter is higher than in the fourth; and, as in 1883, the death-rate in the first quarter is extravagantly higher than in any other, caused in this year by a sudden but temporary appearance of whooping cough. The mean quarterly death-rate for the five years 1880–84 is, for the first quarter, 17·1; for the second, 15·4; for the third, 12·5; for the last, 14·4. The range of death-rate from the highest to the lowest is 4·57 per 1,000.

From the forty-fifth annual report of the Registrar-General of England, table 47, "Mortality per 1,000 in town and country districts in each quarter," "the following has been deduced for the five years 1878–82, the average mortality in the town districts in the first quarter was 24·1; in the second, 20·7; in the third, 20·1; in the fourth, 22·2. In the country districts in the first quarter, 20·7; in the second, 18·4; in the third, 15·7; in the fourth, 17·6." Comparatively, in quarter for quarter, the death-rates here and in England correspond. The highest death-rate is in the first quarter; the lowest in the third quarter; and in the second and fourth there is a like proportion. Here the highest death-rate appears in the hot season; in England the highest death-rate is found in the cold season. Here the spring months are the healthiest, in England, the autumn. In each of the quarterly divisions of the year the death-rate here is comparatively lower, to the extent of about 3 per 1,000.

The following table gives the recorded temperature of each month, together with the infantile mortality:—

Month.	Temperature.			Deaths of infants under one year.	
	Highest.	Mean.	Lowest.	Districts.	Adelaide.
January	110·2	70·2	45·1	206	33
February	104·8	74·4	47·7	164	30
March	101·6	71·8	50·3	179	39
April	88·0	62·8	43·8	181	18
May	78·2	57·1	40·3	127	15
June	72·2	54·0	39·6	86	11
July	64·8	49·6	35·2	103	21
August	81·1	56·0	40·9	113	15
September	82·0	57·4	40·9	71	10
October	91·8	59·9	41·7	72	10
November	94·0	66·0	46·0	109	27
December	97·6	67·1	47·8	179	40

Generally, throughout the districts, an increase in the mean temperature (notified from the Adelaide Observatory month by month) above 60° has been accompanied by an increase in the number of deaths of infants under one year of age. Thus the greatest number of deaths appears in the months from January to April, and in December. In the other months, with a lower temperature, the number of deaths decreases.

In the city of Adelaide the sympathy between the deaths of infants under one year of age and the variations of temperature is notably close. In the first three months of the year, with the recorded temperature in its extreme, under highest, lowest, and mean, the infantile mortality is greatest, being for each month, respectively, 33, 30, and 39. In the months from April to October, with the mean temperature under 63°, the highest noted, the deaths were—in two of the months, 10; in one, 11; in two, 15; in one, 18; in one, 21.

The death-rate, per 1,000 population, in each month is—

	1884.	1883.
January	18·96	17·40
February	16·44	13·80
March	18·96	15·24
April	19·44	16·44
May	16·44	15·00
June	13·20	12·36
July	13·68	11·88
August	14·64	12·48
September	11·88	11·04
October	11·40	12·00
November	12·12	18·36
December	15·48	17·52

Compared with the previous year, the death-rate of each month from January to September is higher. The highest rate is that of April, 19·44, a month ordinarily noted for a high death-rate. The increase in the April of this year over the preceding is 3 per 1,000. A series of increased death-rates commenced in November, 1883, when 18·36 was given, and was continued in the succeeding months from January to May. The monthly death-rate has so decreased as to be in each of the last three months considerably under that of last year.

CAUSES OF DEATH.

The following sets forth the causes of death under the several classes of disease:—

Causes of Death.	Total in		
	1884.	1883.	1882.
Zymotic diseases	966	897	837
Parasitic diseases	32	23	31
Dietic diseases	60	69	94
Constitutional diseases	602	520	575
Developmental diseases	399	338	345
Local diseases	2,035	1,969	1,895
Violence	239	202	211
Ill-defined and not specified causes..	456	417	405
All causes	4,789	4,435	4,393

ZYMOTIC DISEASES.—The deaths from zymotic diseases, 966, hold the same proportion to the whole number of deaths registered as in the previous year, 202 per 1,000. The death-rate to every 1,000 of the population is 3·1 against 3·6 in 1883.

Of the deaths from these diseases, 415, or 43 per cent., were of infants under one year of age, and 363, or 39 per cent., of children at one and under ten years.

The deaths in the districts of Adelaide, Norwood, Hindmarsh, and Port Adelaide numbered collectively 610, or 63 per cent. The deaths in the city of Adelaide were 212; the proportion to the whole number from these diseases being 22 per cent. The number in the district of Frome was 77, or 7·9 per cent.

The deaths from measles were 139, which is greatly in excess of any number in the ten years from 1875. The deaths under two years of age were 91.

Scarlet fever numbered 29, considerably under the average of the last five years.

Whooping cough.—The deaths registered under this disease were 53, against 123 in the year before.

Diphtheria caused 111 deaths. These exceed any in the ten preceding years. They are 62 above those of 1883. In district of Adelaide and the adjoining districts the deaths were 54. The deaths in the city of Adelaide were 18. In the one district of Clare the high number of 27 was registered. Of the deaths from this cause 106 were of children under ten years. The highest number registered in one month was in June—17.

Enteric fever.—There were 134 deaths ascribed to this disease. The numbers in 1882 and 1883 were 146 and 135 respectively. In Adelaide and the suburban towns the deaths were 99; in the district of Daly, 9; in Frome, 6. In the city of Adelaide the deaths were 44, or, exclusive of deaths in public institutions, 33.

The ages at which death occurred were—

Under 5 years	17
5 and under 10 years	13
10 “ 15 “	17
15 “ 20 “	25
20 “ 25 “	26
25 “ 30 “	14
30 “ 35 “	9
35 “ 40 “	2
40 “ 45 “	3
45 “ 50 “	4
50 and above	4

The numbers in each of the months when death took place were in—

January	16	July	7
February	15	August	3
March	20	September	4
April	21	October	3
May	18	November	4
June	16	December	7

Diarrhœa and dysentery.—The number of deaths from these diseases was 422—the highest number assigned to any cause of death in the year. The deaths of children under one year of age numbered 299. The greatest mortality was in January, 57; April, 62; December, 82. The least in August, 4; in September, 5.

PARASITIC DISEASES.—The deaths from hydatid disease were 14, of which 8 occurred in the district of Adelaide; 1 in Norwood; 1 in Hindmarsh; 2 in Grey; 1 in Talunga; and 1 in Kapunda.

DIETIC DISEASES.—The deaths from intemperance, 12, include 7 from chronic alcoholism, and 5 from *delirium tremens*. The highest number in any one year from 1880 was 17; in the period of five years preceding that date occurred in one year 23 deaths; in another, 21.

CONSTITUTIONAL DISEASES.—The deaths, 602, under this class are relatively higher than in the preceding year, being 126 per thousand, in place of 117 per thousand of the whole number. The death-rate to 1,000 of the population is 1·9.

Phthisis resulted in 323 deaths. In the annual return of the order of fatality this cause of death again appears in the third place, exceeded in number by diarrhœa and atrophy. There is a slight increase (10) above last year, and a decrease of 18 below 1882. The death-rate per 1,000 persons living is 1·02. In each of the five years from 1879 the rate was 1·20, 1·04, ·92, 1·15, 1·03. The deaths at different periods of life and the rate per 1,000 persons living at those periods are:—

Period.	Deaths.	Rate.	Period.	Deaths.	Rate.
15 and under 20 years	23	1·1	35 and under 40 years	32	1·9
20 “ 25 “	61	1·9	40 “ 45 “	19	1·4
25 “ 30 “	51	2·0	45 “ 50 “	16	1·5
30 “ 35 “	44	2·3	50 “ 55 “	22	2·5

In each of the periods of five years from the age of twenty to forty the death-rate differs but little. The lowest rate is under the age of twenty, the highest under fifty-five. Of the whole number registered 55 per cent. are of males, 45 per cent. of females. In the ages fifteen and twenty-five years the deaths of males are 41; of females, 53; in the

ages above, the deaths of males are 116; of females, 68. The fatality was greatest in the third quarter of the year, 93; the least in the first quarter, 73. The highest number in any one month was 37, in August. From cancer resulted 109 deaths, an excess of 23 above 1883, and the highest number recorded in the last ten years. At the ages forty-five and upwards were 94 deaths.

DEVELOPMENTAL DISEASES.—In this class were 399 deaths, 277 of which were assigned to old age. In the ages eighty and upward, the deaths of males and females are equal, 112 under each. In the ages ninety-five and under 100, the deaths of males are 1; of females, 3.

LOCAL DISEASES.—Under this class were registered 2,035 deaths; the proportion to the deaths from all causes being 425 per 1,000. From diseases of the nervous system 550 persons died. The deaths from convulsions were 188, less by 27 than in last year.

Diseases of the circulatory system resulted in 259 deaths; 8 above the highest number in the last five years. Of these, 189 are ascribed generally to diseases of the circulatory system, otherwise to disease of the heart.

Diseases of Respiratory System.—The deaths under this division number 648, of which 222 are ascribed to bronchitis; 229 to pneumonia. In 1883 the deaths from the former disease were 226; from the latter, 221. July, August, and September are the months in which these diseases are attended with the greatest fatality. The deaths from croup were 85; in the last year, 168.

Diseases of the digestive system were fatal in 398 instances; including deaths from teething, 101; enteritis, 86; peritonitis, 46; cirrhosis of liver, 27; and other diseases of the liver, 50.

To diseases of the urinary organs were attributable 92 deaths; an increase of 31 above those of 1883. From nephritis were 16 deaths, in the place of 8 in the last year; from Bright's disease, 28 in the place of 16.

From diseases of reproductive system were 55 deaths. To accidents of childbirth are assigned 24 deaths; an unusually low number.

Deaths from diseases of locomotion numbered, 18; of the integumentary system, 8.

VIOLENCE.—The deaths in this class were 239, and above any in the last five years. Those resulting from accidents or negligence were 203, of which 78 were from fracture or contusion, and 55 from drowning.

Suicides number 31, corresponding with those of last year. Of these 24 were of males, 7 females. By poison were 8 deaths; drowning 8; hanging 7; cut 5; gunshot 3.

ILL-DEFINED AND NOT SPECIFIED CAUSES.—A greater number of deaths, 380, is ascribed in this year to atrophy and debility than in any year in the period from 1879 to the present time. Dropsy has resulted in 36 deaths. The number of deaths for which no cause was assigned was 9.

In the order of fatality, to diarrhoea (422), to atrophy and debility (380), and to phthisis (323), are ascribed the greatest number of deaths; the same as in 1883, with an increase under each cause.

Old age, 277, is transferred from the eighth to the fourth place, having an increase of 75. Pneumonia and bronchitis are both above 200, each having but a slight increase over the previous year. There are 9 causes of death above 100 in the place of 6.

In his last annual report, forty-fifth, the Registrar-General of England again "makes an appeal to medical practitioners, asking them to use greater care and precision in stating the cause of death in their certificates. There were, for instance, no less than 1,852 certificates in the year in which the cause of death was simply stated to be 'dropsy,' a symptom of cardiac, of renal, and of pulmonary disease alike." In this country the cause of death that takes the second place as to numbers in the list is atrophy, for which there were 380 certificates.

Marriages.—The marriages numbered 2,555. This shows an increase of 16 over those of the previous. The increase, or otherwise, in the number of marriages year by year in the 10 years from 1875 is thus given:—1875, 77; 1876, 164; 1877, 156; 1878, 297; 1879, a decrease of 9; 1880, 53; 1881, 17; 1882, 222; 1883, 9; 1884, 16.

A reference to the immigration returns for the same period may, in some measure, explain the variations in the numbers.

The marriage-rate, or persons married to every 1,000 of the population, is 16·26. But once in the decade has the marriage-rate been lower, in 1881, when the rate was 16·00. The marriage-rate in England, as published in the last report, was 15·5.

The marriage-rate and exports in South Australia for the years from 1878 to 1884 are thus stated:—

Year.	Marriage-rate.	Exports per Head of Population.		
		£	s.	d.
1878	18·94	22	1	1
1879	17·54	18	13	4
1880	17·32	21	1	8
1881	16·00	15	5	6
1882	17·10	18	2	2
1883	16·66	16	0	5
1884	16·26	21	1	6

The marriages in the second quarter of the year were 651; in the first, 647; in the fourth, 645; in the third, 612.

In five of the last ten years the greatest number of marriages were celebrated in the first quarter; in four, in the last quarter; in one, in the second quarter; in eight years the least number occurred in the third quarter.

The number of persons married under twenty years of age amounted to 460, less by 40 than in the previous year; under twenty-five years, 2,296, men, 933, women 1,363, an increase of 69; under thirty years, 1,429, men 963, women 466, an increase of 20

The following is a statement of the proportion of persons married at undermentioned ages to 1,000 persons married—

15 and under 20	Male.....	4·5	Female.....	85·5
20 "	25	182·6	"	266·7
25 "	30	188·5	"	91·2
30 "	35	60·7	"	24·8
35 "	40	24·5	"	10·0
40 "	45	13·7	"	6·5
45 "	50 and above	24·5	"	14·1

The following shows the proportion of persons married at the under-mentioned ages to 1,000 persons living at same age—

15 and under 20	Male.....	1·6	Female.....	29·1
20 "	25	55·2	"	98·5
25 "	30	64·1	"	45·7
30 "	35	28·3	"	16·5
35 "	40	13·0	"	7·6
40 "	45	9·5	"	5·5
45 "	50 and above	6·2	"	4·3

The signatures by mark are 170; less by 68 than those of 1883. Of these signatures 73 were of men and 97 of women. In each of the divisions of age to 30 years the signatures by mark, both of men and women, are less than in the previous year, those of men being 21 for 32, of women, 40 for 45, under the age of 25; under the next age, 30, the signatures of men are 20 for 25, of women, 18 for 33.

I have, &c.,

JOHN F. CLELAND,

Registrar-General of Births, Deaths, and Marriages.

The Hon. the Chief Secretary.

No. 1.—Return showing the Number of Births and Deaths registered in each Quarter of the Year 1884, and the Excess of Births over Deaths.

	Registered during Year.			Quarter.											
				March.			June.			September.			December.		
	Total.	Males.	Females	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.
Births	11,847	6,051	5,796	2,767	1,439	1,328	3,140	1,571	1,569	3,095	1,584	1,511	2,845	1,457	1,388
Deaths	4,789	2,638	2,151	1,415	751	664	1,282	707	575	1,057	581	476	1,035	599	436
Excess of Births over Deaths	7,058	3,413	3,645	1,352	688	664	1,858	864	994	2,038	1,003	1,035	1,810	858	952

No. 2.—Decennial Return showing the Number of Births registered in the Province in each Year ; also the number registered in each Quarter, and Excess of Births over Deaths in each Year.

Year.	Registered during Year.			Registered in the Quarter ended on the last day of—					
				March.			June.		
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.
1875.....	7,408	3,774	3,634	1,723	883	840	2,020	997	1,023
1876.....	8,224	4,134	4,090	1,893	947	946	2,154	1,102	1,052
1877.....	8,640	4,382	4,258	1,978	1,005	973	2,182	1,111	1,071
1878.....	9,282	4,801	4,481	2,230	1,153	1,077	2,369	1,208	1,161
1879.....	9,902	5,013	4,889	2,308	1,152	1,156	2,555	1,301	1,254
1880.....	10,262	5,398	4,864	2,308	1,223	1,085	2,831	1,519	1,312
1881.....	10,708	5,522	5,186	2,585	1,331	1,254	2,689	1,403	1,286
1882.....	10,844	5,589	5,255	2,541	1,285	1,256	2,807	1,460	1,347
1883.....	11,173	5,677	5,496	2,501	1,274	1,227	2,989	1,521	1,468
1884.....	11,847	6,051	5,796	2,767	1,439	1,328	3,140	1,571	1,569

Year.	Registered in the Quarter ended on the last day of—						Number of Deaths.	Excess of Births over Deaths.
	September.			December.				
	Total.	Males.	Females.	Total.	Males.	Females.		
1875	1,901	958	943	1,764	936	828	4,136	3,272
1876	2,204	1,095	1,109	1,973	990	983	3,550	4,674
1877	2,373	1,202	1,171	2,107	1,064	1,043	3,235	5,405
1878	2,460	1,305	1,155	2,223	1,135	1,088	3,749	5,533
1879	2,686	1,403	1,283	2,353	1,157	1,196	3,580	6,322
1880	2,824	1,468	1,356	2,299	1,188	1,111	3,912	6,350
1881	2,848	1,477	1,371	2,586	1,291	1,295	4,012	6,696
1882	2,967	1,570	1,397	2,529	1,274	1,255	4,393	6,451
1883	3,011	1,550	1,461	2,672	1,332	1,340	4,435	6,738
1884	3,095	1,584	1,511	2,845	1,457	1,388	4,789	7,058

No. 3.—Decennial Return showing the Number of Deaths registered in the Province in each Year ; also showing the Number registered in each Quarter, and Excess of Births over Deaths in each Year.

Year.	Registered during Year.			Registered in the Quarter ended on the last day of—					
				March.			June.		
	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.
1875.....	4,136	2,218	1,918	1,354	731	623	1,175	608	567
1876.....	3,550	1,983	1,567	906	478	428	834	476	358
1877.....	3,235	1,740	1,495	1,030	554	476	874	472	402
1878.....	3,749	2,081	1,668	1,088	620	468	1,001	544	457
1879.....	3,580	2,041	1,539	968	556	412	1,042	581	461
1880.....	3,912	2,207	1,705	1,097	579	518	1,005	602	403
1881.....	4,012	2,223	1,789	1,150	623	527	1,097	600	497
1882.....	4,393	2,430	1,963	1,363	778	585	1,133	618	515
1883.....	4,435	2,444	1,991	1,165	612	553	1,110	599	511
1884.....	4,789	2,638	2,151	1,415	751	664	1,282	707	575

Year.	Registered in the Quarter ended on the last day of—						Number of Births.	Excess of Births over Deaths.
	September.			December.				
	Total.	Males.	Females.	Total.	Males.	Females.		
1875	828	452	376	779	427	352	7,408	3,272
1876	940	546	394	870	483	387	8,224	4,674
1877	592	316	276	739	398	341	8,640	5,405
1878	771	426	345	889	491	398	9,282	5,533
1879	737	421	316	833	484	349	9,902	6,322
1880	951	536	415	859	490	369	10,262	6,350
1881	831	485	346	934	515	419	10,708	6,696
1882	844	467	377	1,053	567	486	10,844	6,451
1883	918	535	383	1,242	698	544	11,173	6,738
1884	1,057	581	476	1,035	599	436	11,847	7,058

No. 4.—Decennial Return showing the Number of Deaths in the Province in each Month.

Month.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.
January	461	264	339	405	320	365	392	461	436	493
February	398	317	324	270	326	363	370	428	345	429
March	495	325	367	413	322	369	388	474	384	493
April	462	272	364	381	371	392	377	405	416	506
May	402	286	282	333	374	337	369	403	380	429
June	311	276	228	287	297	276	351	325	314	347
July	290	322	199	241	258	367	299	323	304	359
August	283	362	197	269	247	333	284	274	329	385
September	255	256	196	261	232	251	248	247	285	313
October	246	271	211	261	234	219	258	262	311	301
November	274	246	235	282	231	276	301	375	477	323
December	259	353	293	340	368	364	375	416	454	411
Total	4,136	3,550	3,235	3,749	3,580	3,912	4,012	4,393	4,435	4,789

No. 5.—Decennial Return showing the Number of Deaths in the Province at different periods of Age.

Years.	Age.																							
	Under 1 year.			1 and under 20.			20 and under 40			40 and under 60.			60 and under 80.			80 and above.			Age unknown.			Totals.		
	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.
1875	735	608	1,343	630	617	1,247	264	294	558	332	213	545	226	164	390	24	21	45	7	1	8	2,218	1,918	4,136
1876	670	558	1,228	392	379	771	309	249	558	335	190	525	245	171	416	27	20	47	5	—	5	1,983	1,567	3,550
1877	624	588	1,212	310	309	619	274	228	502	305	183	488	184	160	344	30	26	56	13	1	14	1,740	1,495	3,235
1878	814	652	1,466	359	374	733	333	242	575	322	200	522	226	173	399	25	27	52	2	—	2	2,081	1,668	3,749
1879	709	508	1,217	359	383	742	365	247	612	318	187	505	258	188	446	32	25	57	—	1	1	2,041	1,539	3,580
1880	790	603	1,393	450	453	903	336	254	590	339	170	509	251	191	442	40	34	74	1	—	1	2,207	1,705	3,912
1881	746	618	1,364	459	430	889	316	304	620	348	234	582	300	176	476	51	27	78	3	—	3	2,223	1,789	4,012
1882	870	777	1,647	455	468	923	386	302	688	364	218	582	297	219	516	52	39	91	6	—	6	2,430	1,963	4,393
1883	884	743	1,627	456	464	920	363	294	657	358	228	586	337	222	559	42	40	82	4	—	4	2,444	1,991	4,435
1884	850	740	1,590	582	569	1,151	422	323	745	362	222	584	362	238	600	57	59	116	3	—	3	2,638	2,151	4,789

No. 6.—Decennial Return showing the Number of Marriages celebrated in the Province in the Quarters of the Years.

	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	1883.	1884.
Quarter ended March 31	406	485	473	658	623	667	600	605	691	647
June 30	424	441	510	536	507	534	555	631	639	651
September 30	399	454	489	525	528	525	544	617	588	612
December 31	459	472	530	580	580	565	609	677	621	645
Total	1,688	1,852	2,002	2,299	2,238	2,291	2,308	2,530	2,539	2,555

No. 7.—Decennial Return showing the proportion of Births, Marriages, and Deaths in the Province to the Living Population.

Year.	Proportion to every Thousand of the Population of—		
	Births.	Marriages.	Deaths.
1875	35·87	8·18	20·03
1876	37·94	8·54	16·38
1877	37·41	8·67	14·00
1878	38·22	9·47	15·44
1879	38·81	8·77	14·04
1880	38·81	8·66	14·79
1881	37·11	8·00	13·90
1882	36·64	8·55	14·84
1883	36·64	8·33	14·55
1884	37·69	8·13	15·24

Class.	Cause of Death	MALES.																									
		Ages at Death.																									
		All Ages.	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not Stated
	ALL CAUSES *	2,638	850	194	74	52	44	86	55	77	95	112	109	106	78	79	103	102	104	106	97	55	37	14	5	1	3
I.	SPECIFIC FEBRILE OR ZY-																										
II.	MOTIC DISEASES	499	219	81	29	20	18	31	15	15	21	13	6	4	5	5	7	1	3	2	3	1	—	—	—	—	—
III.	PARASITIC DISEASES	21	11	—	—	—	—	—	1	—	1	1	1	2	2	—	1	1	1	1	—	—	—	—	—	—	—
IV.	DIETIC DISEASES	37	19	—	—	—	—	—	—	—	1	4	5	1	3	—	2	1	1	—	—	—	—	—	—	—	—
V.	CONSTITUTIONAL DISEASES	329	44	14	8	4	1	7	5	18	28	33	31	27	16	18	18	16	15	17	6	3	—	—	—	—	—
VI.	DEVELOPMENTAL DISEASES	208	72	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	18	40	30	24	11	3	1	—
VII.	LOCAL DISEASES	1,108	307	85	28	22	21	39	19	28	30	35	45	49	39	40	66	64	61	59	41	16	10	2	2	—	—
VIII.	VIOLENCE	195	8	6	7	6	2	8	12	15	14	24	19	18	9	10	6	11	10	4	3	3	—	—	—	—	—
	ILL-DEFINED AND NOT SPECIFIED CAUSES	241	170	8	2	—	2	1	3	1	1	2	2	5	4	6	3	9	4	5	4	2	3	1	—	—	3
I.	1. MIASMATIC DISEASES	232	41	45	24	14	17	27	12	14	18	8	5	1	1	3	2	—	—	—	—	—	—	—	—	—	—
II.	2. DIARRHOEAL DISEASES	245	168	36	5	6	—	4	1	1	2	4	1	2	4	2	3	—	1	1	3	1	—	—	—	—	—
III.	3. MALARIAL DISEASES	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
IV.	4. ZOOGENOUS DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
V.	5. VENEREAL DISEASES	11	6	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	2	—	—	—	—	—	—	—	—
VI.	6. SEPTIC DISEASES	9	4	—	—	—	1	2	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	PARASITIC DISEASES	21	11	—	—	—	—	1	—	—	—	1	1	2	2	—	1	1	1	1	—	—	—	—	—	—	—
	DIETIC DISEASES	37	19	—	—	—	—	—	—	—	1	4	5	1	3	—	2	1	1	—	—	—	—</				

No. 8.—*Causes of Death at different Periods of Life in the Province in the Year 1884.*

[illegible]

No. 8.—*Causes of Death at different Periods of Life in the Province in the Year 1884*—continued.

Class.	Cause of Death.	MALES.																									
		Ages at Death.																									
		All Ages.	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not Stated
	<i>Zoogenous Diseases.</i>																										
	Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Splenic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cowpox and other effects of Vac- cination	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Venereal Diseases.</i>																										
	Syphilis	7	6	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Gonorrhœa, Stricture of Urethra	4	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	2	—	—	—	—	—	—	—	—
	<i>Septic Diseases.</i>																										
	Phagedæna	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Erysipelas	9	4	—	—	—	1	—	2	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Pyæmia, Septicæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Feurperal Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	<i>Parasitic Diseases.</i>																										
	Thrush	10	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases from Vegetable Parasites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hydatid Disease	10	—	—	—	—	—	—	1	—	—	1	1	1	2	2	1	—	—	1	—	—	—	—	—	—	—
	Other Diseases from Animal Para- sites	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
III.	<i>Dietic Diseases.</i>																										
	Starvation, Want of Breast Milk	25	17	—	—	—	—	—	—	—	1	2	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—
	Scurvy	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Intemperance } Chronic Alcoholism	5	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—
	Intemperance } Delerium Tremens	5	—	—	—	—	—	—	—	—	—	2	1	—	1	—	1	1	1	—	—	—	—	—	—	—	—
IV.	<i>Constitutional Diseases.</i>																										
	Rheumatic Fever, Rheumatism of Heart	6	1	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—
	Rheumatism	10	—	—	1	1	—	3	—	—	—	1	—	—	—	1	—	1	—	2	—	—	—	—	—	—	—
	Gout	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Rickets	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cancer	58	—	—	—	1	—	—	1	—	—	3	2	2	6	4	5	8	10	9	6	1	—	—	—	—	—
	Tabes Mesenterica	36	24	6	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Tubercular Meningitis (Acute Hydrocephalus)	21	8	6	2	1	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Phthisis	178	3	2	—	—	—	—	3	15	26	28	29	25	10	12	12	6	1	5	—	1	—	—	—	—	—
	Other forms of Tuberculosis, Scrofula	7	—	—	—	—	—	—	1	2	2	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
	Purpura, Hæmorrhagia Diathesis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Anæmia, Chlorosis, Leucocy- thæmia	9	7	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Diabetes Mellitus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Other Constitutional Diseases ...	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
V.	<i>Developmental Diseases.</i>																										
	Premature Birth	61	61	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Atelectasis	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cyanosis	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Spina Bifida	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Imperforate Anus	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cleft Palate, Harelip	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Congenital Defects	5	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Old Age	136	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	18	40	30	24	11	3	1	—
VI.	<i>Diseases of Nervous System.</i>																										
	Inflammation of Brain or its Membranes	45	20	8	—	1	2	5	3	1	—	—	—	—	2	—	1	1	1	—	—	—	—	—	—	—	—
	Apoplexy	48	1	1	—	—	—	1	1	—	—	1	3	2	2	1	3	3	10	9	5	4	1	—	—	—	—
	Softening of Brain	13	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	2	1	4	—	—	—	—	—	—	—
	Hemiplegia, Brain Paralysis	32	1	—	—	—	—	—	—	—	1	1	1	3	1	4	2	3	4	4	3	2	1	—	1	—	—
	Paralysis Agitans	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Insanity, General Paralysis of Insane	9	—	—	—	—	—	—	1	1	—	—	—	1	3	2	—	—	1	—	—	—	—	—	—	—	—
	Chorea	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Epilepsy	12	—	—	—	—	—	1	1	2	1	1	—	2	—	—	1	2	—	1	—	—	—	—	—	—	—
	Convulsions	96	85	4	5	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Laryngismus stridulus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Idiopathic Tetanus	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Paraplegia, Disease of Spinal Cord	7	—	—	—	—	—	1	—	—	1	1	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—

[illegible]

No. 8.—Causes of Death at different Periods of Life in the Province in the Year 1884—continued.

Class.	Cause of Death.	MALES.																									
		Ages at Death.																									
		All Ages.	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not Stated
<i>Diseases of Nervous System—cont.</i>																											
Other Diseases of Nervous System		67	19	6	2	2	2	6	2	3	—	2	3	4	3	3	3	1	2	4	—	—	—	—	—	—	—
<i>Diseases of Organs of Special Sense.</i>																											
Otitis, Otorrhœa.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epistaxis and Disease of Nose ...		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ophthalmia and Disease of Eye...		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of Circulatory System.</i>																											
Endocarditis, Valvular Disease...		9	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	2	1	1	1	—	—	—	—	—	—
Pericarditis		6	—	—	—	—	—	1	—	1	1	—	1	—	—	—	1	1	1	1	—	—	—	—	—	—	—
Hypertrophy of Heart.....		9	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	2	2	3	—	—	—	—	—	—	—
Angina Pectoris		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Syncope		6	—	—	—	—	—	—	—	—	1	—	2	—	1	—	—	1	—	—	—	1	—	—	—	—	—
Aneurism		11	—	—	—	—	—	—	—	—	—	—	2	2	2	1	1	—	2	—	—	1	—	—	—	—	—
Senile Gangrene.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Embolism, Thrombosis		1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlebitis		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Varicose Veins.....		1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Circulatory System.....		102	1	2	—	—	1	3	1	4	1	7	7	6	5	8	12	15	4	14	8	—	1	2	—	—	—
<i>Diseases of Respiratory Organs.</i>																											
Laryngitis.....		1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup.....		37	4	4	5	9	10	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Larynx and Trachea		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emphysema, Asthma		17	—	—	—	—	—	—	—	—	—	—	1	—	1	1	4	4	—	3	1	2	—	—	—	—	—
Bronchitis		118	53	23	8	3	1	3	2	—	—	—	—	3	—	2	1	2	4	5	6	1	1	—	—	—	—
Pneumonia		134	29	16	6	2	2	6	1	4	4	5	9	13	8	9	6	8	3	—	3	—	—	—	—	—	—
Pleurisy.....		7	—	—	—	—	1	—	—	—	1	1	—	1	—	—	—	—	2	1	—	—	—	—	—	—	—
Other Diseases of Respiratory System.....		44	15	3	—	1	—	1	—	1	3	2	3	4	2	—	2	1	3	—	3	—	—	—	—	—	—
<i>Diseases of Digestive System.</i>																											
Stomatitis.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dentition		49	41	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sore Throat, Quinsy.....		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dyspepsia		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmatemesis		3	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—	1	—	—	—	—	—
Malena		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Disease of Stomach		13	3	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	2	2	1	—	—	—	—	—
Enteritis		43	19	7	—	2	—	1	1	2	2	1	1	—	—	2	—	3	1	1	—	—	—	—	—	—	—
Ulceration of Intestine.....		3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus, Obstruction of Intestine ...		4	1	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	2	—	—	—	—	—	—
Stricture, or Strangulation of Intestine		2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Intussusception of Intestine		3	1	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Hernia		4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—
Fistula		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Peritonitis		18	—	1	1	1	1	1	—	1	3	1	2	—	—	—	2	2	1	1	—	—	—	—	—	—	—
Ascites		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gallstones.....		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cirrhosis of Liver		16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Other Diseases of Liver		25	5	—	—	—	—	—	—	1	—	—	—	2	2	1	1	3	3	3	—	—	1	—	—	—	—
Other Diseases of Digestive System		3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
<i>Diseases of Lymphatic System and Ductless Glands.</i>																											
Diseases of Lymphatic System ...		1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of Spleen		3	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Bronchocele.....		1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Diseases of Urinary System.</i>																											
Acute Nephritis		10	—	—	—	—	—	2	—	1	1	1	2	—	1	1	1	—	—	—	—	—	—	—	—	—	—
Bright's Disease.....		16	—	—	—	—	—	—	—	2	1	2	—	1	2	—	3	1	3	1	—	—	—	—	—	—	—
Uræmia		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Suppression of Urine		4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Calculus		4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	1	—	—	—	—	—	—
Hæmaturia		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—
Diseases of Bladder and of Prostate		12	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Urinary System		9	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—

No. 8.—Causes of Death at different Periods of Life in the Province in the Year 1884—continued.

Class.	Cause of Death.	FEMALES.																									
		Ages at Death.																									
		All Ages.	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not Stated
	<i>Diseases of Nervous System—cont.</i>																										
	Other Diseases of Nervous system	46	14	6	1	2	—	2	—	1	2	1	1	4	—	1	3	1	3	1	1	1	—	1	—	—	—
	<i>Diseases of Organs of Special Sense.</i>																										
	Otitis, Otorrhœa	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Epistaxis and Disease of Nose ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ophthalmia and Disease of Eye ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Diseases of Circulatory System.</i>																										
	Endocarditis, Valvular Disease ...	5	1	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—
	Pericarditis	8	—	—	—	—	—	1	—	1	1	1	1	—	—	1	—	2	—	—	—	—	—	—	—	—	—
	Hypertrophy of Heart	8	1	—	—	—	—	1	—	—	—	1	1	—	1	—	—	1	1	1	—	—	—	—	—	—	—
	Angina Pectoris	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Syncope	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Senile Gangrene	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Embolism, Thrombosis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Phlebitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Varicose Veins	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Circulatory System	87	1	—	—	—	2	3	7	1	7	7	5	5	5	8	8	8	10	6	4	—	—	—	—	—	—
	<i>Diseases of Respiratory Organs.</i>																										
	Laryngitis	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Croup	48	5	9	12	5	9	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Larynx and Trachea	8	2	1	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—
	Emphysema, Asthma	4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
	Bronchitis	104	32	18	8	3	5	6	1	—	2	—	3	—	1	3	1	2	1	5	1	6	1	1	—	—	—
	Pneumonia	95	25	12	4	2	5	4	4	6	3	5	5	1	5	—	2	2	1	6	1	2	—	—	—	—	—
	Pleurisy	2	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Respiratory System	28	5	4	—	1	3	2	3	—	3	1	1	—	2	1	—	1	1	—	—	—	—	—	—	—	—
	<i>Diseases of Digestive System.</i>																										
	Stomatitis	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dentition	52	35	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sore Throat, Quinsy	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dyspepsia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hæmatemesis	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Malena	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Disease of Stomach	14	8	1	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	1	—	—	—	—	—	—
	Enteritis	43	28	4	—	1	1	2	—	—	2	—	—	1	1	—	2	1	—	—	—	—	—	—	—	—	—
	Ulceration of Intestine	3	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ileus, Obstruction of Intestine ..	7	—	—	—	—	—	1	—	1	—	—	—	—	—	1	1	1	1	1	—	—	—	—	—	—	—
	Stricture, or Strangulation of Intestine	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Intussusception of Intestine	3	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hernia	6	—	1	—	—	—	—	—	—	2	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—
	Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Peritonitis	28	1	1	—	—	—	—	1	1	3	6	7	2	1	—	2	2	—	1	—	—	—	—	—	—	—
	Ascites	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Gallstones	3	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
	Cirrhosis of Liver	11	—	—	—	—	—	—	—	—	—	—	—	1	5	—	1	—	3	—	1	—	—	—	—	—	—
	Other Diseases of Liver	25	4	—	—	1	—	—	—	—	—	—	3	2	3	6	1	1	2	—	2	—	—	—	—	—	—
	Other Diseases of Digestive System	5	2	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
	<i>Diseases of Lymphatic System and Ductless Glands.</i>																										
	Diseases of Lymphatic System ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Spleen	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Bronchocele	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>Diseases of Urinary System.</i>																										
	Acute Nephritis	6	—	1	—	—	—	1	—	—	1	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—
	Bright's Disease	12	—	—	—	—	—	1	—	4	2	1	—	—	1	—	—	1	1	—	1	—	—	—	—	—	—
	Uræmia	9	—	—	—	—	—	—	—	1	—	—	2	2	—	—	1	2	1	—	—	—	—	—	—	—	—
	Suppression of Urine	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Calculus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hæmaturia	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diseases of Bladder and of Prostate	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Diseases of Urinary System	6	—	1	—	—	2	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—

No. 8.—*Causes of Death at different Periods of Life in the Province in the Year 1884*—continued.

[illegible]

[illegible]

No. 9.—Births and Deaths registered in

Class.	Districts	Adelaide.	Norwood.	Hindmarsh.	Port Adelaide.	Daly.	Willunga.	Yankalilla.	Encounter Bay.	Strathalbyn.
	POPULATION, CENSUS 1881	57,610	20,536	9,724	17,202	25,725	1,718	2,600	3,079	3,838
	BIRTHS	2,814	1,104	526	847	1,117	63	97	99	205
	RATE PER 1,000 OF POPULATION	48.8	52.8	54.0	49.2	43.4	36.6	37.3	32.1	53.4
	DEATHS	1,710	436	186	289	345	13	23	28	79
	RATE PER 1,000 OF POPULATION	29.7	21.2	19.2	16.7	13.5	7.6	8.8	9.1	20.5
I.	SPECIFIC FEBRILE OR ZYMOTIC DISEASES	389	113	55	53	56	3	2	7	9
II.	PARASITIC DISEASES	13	7	1	3	—	—	—	—	—
III.	DIETIC DISEASES	19	5	—	3	6	—	1	—	1
IV.	CONSTITUTIONAL DISEASES	254	65	20	59	57	1	—	—	7
V.	DEVELOPMENTAL DISEASES	128	33	17	19	27	1	2	1	7
VI.	LOCAL DISEASES	723	153	66	110	132	5	16	14	36
VII.	VIOLENCE	65	9	1	19	15	2	2	4	6
VIII.	ILL-DEFINED AND NOT SPECIFIED CAUSES	119	51	26	23	52	1	—	2	13
	I.									
	1. MIASMATIC DISEASES	186	43	25	39	31	3	2	3	3
	2. DIARRHOEAL DISEASES	179	67	28	12	19	—	—	3	6
	3. MALARIAL DISEASES	1	—	—	1	2	—	—	—	—
	4. ZOOGENOUS DISEASES	—	—	—	—	—	—	—	—	—
	5. VENEREAL DISEASES	15	—	—	1	—	—	—	—	—
	6. SEPTIC DISEASES	8	3	2	—	4	—	—	1	—
	II.									
	PARASITIC DISEASES	13	7	1	3	—	—	—	—	—
	III.									
	DIETIC DISEASES	19	5	—	3	6	—	1	—	1
	IV.									
	CONSTITUTIONAL DISEASES	254	65	20	59	57	1	—	—	7
	V.									
	DEVELOPMENTAL DISEASES	128	33	17	19	27	1	2	1	7
	VI.									
	1. DISEASES OF NERVOUS SYSTEM	207	38	18	27	32	2	6	—	9
	2. DISEASES OF ORGANS OF SPECIAL SENSE	—	—	—	—	—	—	—	—	—
	3. DISEASES OF CIRCULATORY SYSTEM	114	17	3	9	16	—	1	2	4
	4. DISEASES OF RESPIRATORY SYSTEM	181	51	28	45	48	3	6	10	9
	5. DISEASES OF DIGESTIVE SYSTEM	150	28	13	20	27	—	1	—	9
	6. DISEASES OF LYMPHATIC SYSTEM AND DUCTLESS GLANDS	2	1	—	—	1	—	—	—	—
	7. DISEASES OF URINARY SYSTEM	44	7	2	7	4	—	1	2	1
	8. DISEASES OF REPRODUCTIVE SYSTEM—									
	(a) Diseases of Organs of Generation	3	3	—	—	—	—	—	—	—
	(b) Diseases of Parturition	10	5	1	1	3	—	1	—	3
	9. DISEASES OF ORGANS OF LOCOMOTION	8	2	—	1	1	—	—	—	1
	10. DISEASES OF INTEGUMENTARY SYSTEM	4	1	1	—	—	—	—	—	—
	VII.									
	1. ACCIDENT OR NEGLIGENCE	51	5	—	17	15	2	2	4	6
	2. HOMICIDE	2	—	—	1	—	—	—	—	—
	3. SUICIDE	12	4	1	1	—	—	—	—	—
	4. EXECUTION	—	—	—	—	—	—	—	—	—
	VIII.									
	ILL-DEFINED AND NOT SPECIFIED CAUSES	119	51	26	23	52	1	—	2	13

[illegible]

D

Class.	Districts	Adelaide.	Norwood.	Hindmarsh.	Port Adelaide.	Daly.	Willunga.	Yankalilla.	Encounter Bay.	Strathalbyn.
I.	<i>Miasmatic Diseases.</i>									
	Smallpox	—	—	—	—	—	—	—	—	—
	Chicken-pox	—	—	—	—	—	—	—	—	—
	Measles	53	19	10	14	10	—	2	—	—
	Epidemic Rose Rash	—	—	—	—	—	—	—	—	—
	Scarlet Fever	4	5	—	4	—	—	—	1	1
	Relapsing Fever	—	—	—	—	—	—	—	—	—
	Influenza	—	—	—	—	—	—	—	—	—
	Whooping Cough	22	1	2	2	2	1	—	—	—
	Mumps	—	—	—	—	—	—	—	—	—
	Diphtheria	37	3	6	8	3	—	—	2	2
	Cerebro-spinal Fever	—	—	—	—	—	—	—	—	—
	Simple and ill-defined Fever	2	1	—	1	7	—	—	—	—
	Enteric Fever	68	14	7	10	9	2	—	—	—
	<i>Diarrhæal Diseases.</i>									
	Simple Cholera	5	2	—	—	—	—	—	—	—
	Diarrhœa, Dysentery	174	65	28	12	19	—	—	3	6
	<i>Malarial Diseases.</i>									
	Remittent Fever	1	—	—	1	2	—	—	—	—
	Ague	—	—	—	—	—	—	—	—	—
	<i>Zoogenous Diseases.</i>									
	Hydrophobia	—	—	—	—	—	—	—	—	—
	Glanders	—	—	—	—	—	—	—	—	—
	Splenic Fever	—	—	—	—	—	—	—	—	—
	Cowpox and other effects of Vaccination	—	—	—	—	—	—	—	—	—
	<i>Venereal Diseases.</i>									
	Syphilis	11	—	—	1	—	—	—	—	—
	Gonorrhœa, Stricture of Urethra	4	—	—	—	—	—	—	—	—
	<i>Septic Diseases.</i>									
	Phagedæna	—	—	—	—	—	—	—	—	—
	Erysipelas	3	3	1	—	—	—	—	1	—
	Pyæmia, Septicæmia	2	—	1	—	1	—	—	—	—
	Puerperal Fever	3	—	—	—	3	—	—	—	—
II.	<i>Parasitic Diseases.</i>									
	Thrush	4	6	—	3	—	—	—	—	—
	Other diseases from Vegetable Parasites	—	—	—	—	—	—	—	—	—
	Hydatid Disease	8	1	1	—	—	—	—	—	—
	Other Diseases from Animal Parasites	1	—	—	—	—	—	—	—	—
III.	<i>Dietic Diseases.</i>									
	Starvation, Want of Breast Milk	14	5	—	2	2	—	—	—	1
	Scurvy	1	—	—	—	2	—	—	—	—
	Intemperance { Chronic Alcoholism	1	—	—	—	2	—	1	—	—
	{ Delirium Tremens	1	—	—	1	—	—	—	—	—
IV.	<i>Constitutional Diseases.</i>									
	Rheumatic Fever, Rheumatism of Heart	3	—	—	3	—	—	—	—	—
	Rheumatism	3	—	—	1	2	—	—	—	1
	Gout	—	—	—	—	—	—	—	—	—
	Rickets	—	—	—	—	—	—	—	—	—
	Cancer	49	15	1	12	9	1	—	—	—
	Tabes Mesenterica	15	5	4	8	17	—	—	—	2
	Tubercular Meningitis (Acute Hydrocephalus)	17	12	2	3	3	—	—	—	—
	Phthisis	153	31	10	29	23	—	—	—	4
	Other forms of Tuberculosis, Scrofula	3	1	—	—	2	—	—	—	—
	Purpura, Hæmorrhagia Diathesis	—	—	—	—	—	—	—	—	—
	Anæmia, Chlorosis, Leucocythæmia	9	1	3	—	1	—	—	—	—
	Diabetes Mellitus	1	—	—	—	—	—	—	—	—
	Other Constitutional Diseases	1	—	—	3	—	—	—	—	—
V.	<i>Developmental Diseases.</i>									
	Premature Birth	31	8	6	7	5	—	—	—	1
	Atelectasis	—	1	—	—	—	—	—	—	—
	Cyanosis	3	—	—	—	1	—	—	—	—
	Spina Bifida	—	—	—	—	—	—	—	—	—
	Imperforate Anus	—	—	—	1	—	—	—	—	—
	Cleft Palate, Harelip	—	—	—	—	—	—	—	—	—
	Other Congenital Defects	1	1	—	2	3	—	—	—	—
	Old Age	93	23	11	9	18	1	2	1	6

No. 9.—Births and Deaths registered in the

Class.	Districts	Adelaide.	Norwood.	Hindmarsh.	Port Adelaide.	Daly.	Willunga.	Yankalilla.	Encounter Bay.	Strathalbyn.
VI.	<i>Diseases of Nervous System.</i>									
	Inflammation of Brain or its Membranes	42	1	2	1	7	—	—	—	—
	Apoplexy	25	5	5	5	4	—	2	—	2
	Softening of the Brain	8	3	—	—	—	1	—	—	—
	Hemiplegia, Brain Paralysis	15	4	1	2	4	—	1	—	1
	Paralysis Agitans	—	—	—	—	—	—	—	—	—
	Insanity, General Paralysis of Insane	10	—	—	—	—	—	—	—	—
	Chorea	2	—	—	—	—	—	—	—	—
	Epilepsy	9	—	—	1	—	—	1	—	2
	Convulsions	47	13	7	12	8	—	1	—	4
	Laryngismus stridulus	—	—	—	—	—	—	—	—	—
	Idiopathic Tetanus	1	—	—	—	—	—	—	—	—
	Paraplegia, Disease of Spinal Cord	5	—	—	—	—	—	—	—	—
	Other Diseases of Nervous System	43	12	3	6	9	1	1	—	—
	<i>Diseases of Organs of Special Sense.</i>									
	Otitis, Otorrhœa	—	—	—	—	—	—	—	—	—
	Epistaxis and Disease of Nose	—	—	—	—	—	—	—	—	—
	Ophthalmia and Disease of Eye	—	—	—	—	—	—	—	—	—
	<i>Diseases of Circulatory System.</i>									
	Endocarditis, Valvular Disease	1	2	—	—	—	—	—	—	—
	Pericarditis	2	1	—	—	—	—	—	—	—
	Hypertrophy of Heart	1	3	—	2	—	—	—	—	1
	Angina Pectoris	1	—	—	—	—	—	—	—	1
	Syncope	4	—	—	—	1	—	—	—	—
	Aneurism	5	1	1	4	—	—	—	—	—
	Senile Gangrene	1	—	—	—	—	—	—	—	—
	Embolism, Thrombosis	1	—	—	1	—	—	—	—	—
	Phlebitis	—	—	—	—	—	—	—	—	—
	Varicose Veins	1	—	—	—	—	—	—	—	—
	Other Diseases of Circulatory System	97	10	2	2	15	—	1	2	2
	<i>Diseases of Respiratory Organs.</i>									
	Laryngitis	2	—	—	—	—	—	—	—	—
	Croup	20	4	4	6	12	—	2	—	—
	Other Diseases of Larynx and Trachea	3	1	1	—	1	—	—	—	—
	Emphysema, Asthma	3	1	—	1	3	1	—	1	—
	Bronchitis	53	29	10	15	9	1	2	3	5
	Pneumonia	81	14	12	21	15	—	1	6	2
	Pleurisy	3	—	—	—	—	—	—	—	—
	Other Diseases of Respiratory System	16	2	1	2	8	1	1	—	2
	<i>Diseases of Digestive System.</i>									
	Stomatitis	1	—	—	—	—	—	—	—	—
	Dentition	43	6	9	3	4	—	—	—	1
	Sore Throat, Quinsy	—	—	—	—	—	—	—	—	—
	Dyspepsia	—	—	—	—	—	—	—	—	—
	Hæmatemesis	1	—	—	—	1	—	—	—	1
	Melæna	—	—	—	—	—	—	—	—	—
	Disease of Stomach	4	8	1	—	1	—	—	—	2
	Enteritis	35	1	2	4	17	—	—	—	—
	Ulceration of Intestine	1	—	—	1	—	—	1	—	—
	Ileus, Obstruction of Intestine	1	1	—	—	1	—	—	—	—
	Stricture, or Strangulation of Intestine	3	—	—	—	—	—	—	—	—
	Intussusception of Intestine	2	—	—	2	—	—	—	—	—
	Hernia	4	—	—	—	—	—	—	—	1
	Fistula	—	—	—	—	—	—	—	—	—
	Peritonitis	18	4	1	2	—	—	—	—	2
	Ascites	—	—	—	—	1	—	—	—	—
	Gallstones	2	1	—	1	—	—	—	—	—
	Cirrhosis of Liver	16	3	—	1	—	—	—	—	—
	Other Diseases of Liver	16	4	—	6	1	—	—	—	2
	Other Diseases of Digestive System	3	—	—	—	1	—	—	—	—
	<i>Diseases of Lymphatic System and Ductless Glands.</i>									
	Diseases of Lymphatic System	1	—	—	—	—	—	—	—	—
	Diseases of Spleen	1	1	—	—	1	—	—	—	—
	Bronchocele	—	—	—	—	—	—	—	—	—
	Addison's Disease	—	—	—	—	—	—	—	—	—
	<i>Diseases of Urinary System.</i>									
	Acute Nephritis	10	—	—	1	1	—	—	—	—
	Bright's Disease	11	3	—	3	1	—	—	—	—
	Uræmia	7	1	—	—	1	—	—	—	—
	Suppression of Urine	2	—	—	1	—	—	—	—	—
	Calculus	2	—	—	1	—	—	—	—	—
	Hæmaturia	2	—	—	1	—	—	—	1	—
	Diseases of Bladder and of Prostate	2	—	—	—	—	—	—	—	—
	Other Diseases of Urinary System	7	1	—	—	1	—	—	—	1
		3	2	2	1	—	—	1	1	—

Class.	Districts	Adelaide.	Norwood.	Hindmarsh.	Port Adelaide.	Daly.	Willunga.	Yankalilla.	Encounter Bay.	Strathalbyn.
<i>Diseases of Organs of Generation.</i>										
	Ovarian Disease	1	1	—	—	—	—	—	—	1
	Disease of Uterus and Vagina	2	1	—	—	—	—	—	—	—
	Disorders of Menstruation	—	1	—	—	—	—	—	—	—
	Pelvic Abscess	—	—	—	—	—	—	—	—	—
	Perineal Abscess	—	—	—	—	—	—	—	—	—
	Diseases of Testes, Penis, Scrotum, &c.	—	—	—	—	—	—	—	—	—
<i>Diseases of Parturition.</i>										
	Abortion, Miscarriage	2	2	—	—	1	—	—	—	—
	Puerperal Mania	—	1	—	—	—	—	—	—	—
	Puerperal Convulsions	2	—	—	—	—	—	—	—	—
	Placenta Prævia, Flooding	2	—	—	—	—	—	—	—	1
	Phlegmasia Dolens	—	—	—	—	—	—	—	—	—
	Other Accidents of Childbirth	4	2	1	1	2	—	1	—	2
<i>Diseases of Organs of Locomotion.</i>										
	Caries, Necrosis	—	1	—	—	—	—	—	—	—
	Arthritis, Ostitis, Periostitis	—	—	—	1	—	—	—	—	—
	Other Diseases of Organs of Locomotion	8	1	—	—	1	—	—	—	1
<i>Diseases of Integumentary System.</i>										
	Carbuncle	—	—	—	—	—	—	—	—	—
	Phlegmon, Cellulitis	—	—	—	—	—	—	—	—	—
	Lupus	1	—	—	—	—	—	—	—	—
	Ulcer, Bedsores	—	—	—	—	—	—	—	—	—
	Eczema	—	—	1	—	—	—	—	—	—
	Pemphigus	1	—	—	—	—	—	—	—	—
	Other Diseases of Integumentary System	2	1	—	—	—	—	—	—	—
VII.	<i>Accident or Negligence.</i>									
	Fracture and Contusion	22	3	—	11	7	2	—	—	2
	Gunshot Wounds	2	—	—	—	—	—	—	—	—
	Cut, Stab	1	—	—	—	—	—	—	—	—
	Burn, Scald	6	—	—	—	3	—	1	1	—
	Poison	2	—	—	—	—	—	—	—	—
	Drowning	11	1	—	5	3	—	1	1	4
	Suffocation	—	—	—	1	1	—	—	1	—
	Otherwise	7	1	—	—	1	—	—	1	—
<i>Homicide.</i>										
	Murder, Manslaughter	2	—	—	1	—	—	—	—	—
<i>Suicide.</i>										
	Gunshot Wounds	1	1	—	—	—	—	—	—	—
	Cut, Stab	3	—	1	—	—	—	—	—	—
	Poison	4	1	—	—	—	—	—	—	—
	Drowning	1	1	—	1	—	—	—	—	—
	Hanging	3	1	—	—	—	—	—	—	—
	Otherwise	—	—	—	—	—	—	—	—	—
<i>Execution.</i>										
	Hanging	—	—	—	—	—	—	—	—	—
VIII	<i>Ill-defined and Not Specified Causes.</i>									
	Dropsy	3	4	1	2	1	—	—	—	1
	Debility, Atrophy, Inanition	100	43	23	21	47	1	—	1	12
	Mortification	3	1	—	—	—	—	—	—	—
	Tumor	5	1	—	—	1	—	—	—	—
	Abscess	6	—	1	—	1	—	—	1	—
	Hæmorrhage	—	2	1	—	1	—	—	—	—
	Sudden (cause unascertained)	2	—	—	—	—	—	—	—	—
	Other ill-defined and not specified causes	—	—	—	—	1	—	—	—	—

in the Province in each Month of 1884.

Deaths.

Ages at Death.

20		25		30		35		40		45		50		55		60		65		70		75		80		85		90		95		100		Not stated.	
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
5	6	8	9	13	6	13	12	11	—	5	7	4	5	11	6	6	—	12	6	8	2	7	7	8	4	—	3	1	2	—	—	—	1	1	—
—	1	4	1	2	1	—	—	—	—	—	2	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	3	1	2	3	1	1	1	3	—	1	1	—	—	1	2	2	—	4	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
1	2	2	6	6	4	6	11	5	—	2	2	2	5	6	4	3	—	3	2	2	1	1	3	4	3	—	3	1	1	—	—	—	1	—	—
2	—	1	—	2	—	4	—	3	—	2	1	—	—	2	—	1	—	4	3	5	1	6	3	3	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
6	5	8	7	11	11	8	6	8	7	12	6	8	6	10	6	6	4	12	3	6	5	8	6	1	9	2	1	—	1	—	1	—	—	—	—
1	2	1	—	2	3	—	1	1	—	1	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	1	—	1	—	—	—	1	—	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	1	3	4	4	3	3	1	1	1	3	3	2	—	—	1	1	1	—	—	2	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	2	2	2	—	5	3	3	3	5	4	3	1	5	7	4	5	3	7	3	2	2	2	3	1	6	—	1	—	1	—	—	—	—	—	—
1	—	1	—	4	—	2	—	2	—	—	—	4	1	1	—	—	—	1	—	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	4	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
10	3	7	13	18	4	14	9	11	7	3	4	6	7	11	3	9	6	6	8	9	2	6	7	4	2	4	4	—	1	—	1	—	—	—	
5	1	2	3	3	—	2	1	—	1	1	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	1	1	6	3	1	2	2	4	2	—	1	1	2	1	3	1	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	2	4	4	4	1	4	4	—	—	—	1	—	—	—
2	—	1	4	8	2	8	6	4	4	1	2	4	5	8	—	7	4	3	4	6	—	1	3	—	1	—	—	—	—	—	—	—	—	—	—
1	1	3	—	3	1	2	—	1	—	1	—	—	—	1	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	8	8	10	11	7	6	9	8	3	4	6	14	7	5	6	6	4	8	4	10	1	9	3	7	5	2	4	3	2	1	1	—	1	—	—
3	3	4	4	1	2	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	1	1	3	2	2	2	—	1	2	1	5	2	1	1	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	2	3	5	4	3	3	6	5	2	1	5	9	3	4	5	5	1	4	3	7	1	3	1	1	1	1	—	1	—	—	—	—	—	—	
2	1	—	—	2	—	1	—	2	—	1	—	—	—	1	—	—	—	2	—	—	1	—	—	1	2	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	5	9	6	10	9	7	7	14	7	5	3	7	2	9	7	9	2	12	9	5	2	11	10	3	4	4	7	2	1	1	1	—	—	—	
—	2	3	1	1	1	1	1	1	2	1	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	2	—	3	2	2	—	1	3	—	2	1	—	1	1	3	2	—	3	2	1	1	—	2	1	1	—	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	4	6	1	2	2	5	2	1	1	1	—	—	—
3	1	5	2	3	6	4	5	7	4	1	1	4	1	6	4	5	1	6	5	3	1	6	1	1	1	2	—	—	—	—	—	—	—	—	
3	—	1	—	4	—	1	—	2	1	—	—	3	—	1	—	—	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
9	6	11	10	10	7	9	4	7	5	5	5	8	—	8	4	10	4	5	7	10	7	10	1	4	—	3	1	1	2	—	—	—	—	—	
3	2	3	5	1	2	1	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—																																

Province in each Month of 1884—continued.

Death

Ages at Death.

Months.	Births.			Class.	Causes of Death.	Deaths.																
						Ages at Death.																
	M.	F.	Total			Total.			1		2		3		4		5		10		15	
						M.	F.	Total.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
January ...	63	53	116		All causes	59	47	106	18	15	6	7	3	1	—	—	—	—	3	2	1	—
				I.	Specific febrile or zymotic diseases	13	8	21	6	5	4	2	2	—	—	—	—	—	—	—	—	—
				II.	Parasitic diseases	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	12	3	15	2	—	1	—	—	—	—	—	—	1	—	1	—	—
				V.	Developmental diseases	1	3	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	26	29	55	5	8	2	4	—	1	—	—	—	2	1	—	—	—
				VII.	Violence	3	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes.....	4	2	6	4	2	—	—	—	—	—	—	—	—	—	—	—	—
February...	52	51	103		All causes	47	49	96	18	12	4	5	—	1	—	1	—	—	2	—	2	—
				I.	Specific febrile or zymotic diseases	10	12	22	6	3	2	2	—	1	—	1	—	—	1	—	2	—
				II.	Parasitic diseases	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	1	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	7	9	16	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				V.	Developmental diseases	1	4	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	17	13	30	5	3	2	3	—	—	—	—	—	1	—	—	—	—
				VII.	Violence	3	2	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes.....	7	7	14	5	5	—	—	—	—	—	—	—	—	—	—	—	—
March	57	58	115		All causes	57	58	115	18	21	9	8	5	—	1	2	—	1	1	1	1	2
				I.	Specific febrile or zymotic diseases	19	16	35	7	8	5	4	2	—	—	1	—	1	—	1	—	—
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	2	1	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	8	9	17	1	1	1	1	1	—	1	—	—	—	—	—	—	1
				V.	Developmental diseases	3	4	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	21	21	42	6	5	2	2	2	—	—	1	—	—	1	—	1	—
				VII.	Violence	2	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—
				VIII.	Ill-defined or not specified causes.....	2	7	9	1	6	1	1	—	—	—	—	—	—	—	—	—	—
April	53	63	116		All causes	49	38	87	8	10	6	5	3	3	1	4	—	2	3	—	—	—
				I.	Specific febrile or zymotic diseases	15	14	29	5	3	3	2	2	1	1	3	—	2	2	—	—	—
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	6	6	12	—	1	1	—	—	1	—	1	—	—	1	—	—	—
				V.	Developmental diseases	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	21	11	32	2	3	—	1	—	—	—	—	—	—	—	—	—	—
				VII.	Violence	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes.....	5	6	11	1	3	2	2	1	1	—	—	—	—	—	—	—	—
May	67	72	139		All causes	47	30	77	9	6	4	3	—	1	2	1	—	—	4	2	1	1
				I.	Specific febrile or zymotic diseases	10	9	19	3	2	1	3	—	1	1	—	—	—	2	2	1	—
				II.	Parasitic diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	5	3	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				V.	Developmental diseases	4	3	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	15	10	25	2	—	2	—	—	—	—	1	—	1	—	—	—	1
				VII.	Violence	6	1	7	1	—	—	—	—	—	1	—	—	1	—	—	—	—
				VIII.	Ill-defined or not specified causes.....	5	4	9	2	4	1	—	—	—	—	—	—	—	—	—	—	—
June	49	47	96		All causes	46	39	85	6	5	2	6	—	1	—	3	1	1	1	2	—	2
				I.	Specific febrile or zymotic diseases	8	9	17	—	—	1	3	—	1	—	1	1	—	—	1	—	—
				II.	Parasitic diseases	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				III.	Dietic diseases.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				IV.	Constitutional diseases.....	9	5	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				V.	Developmental diseases	3	2	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—
				VI.	Local diseases	17	22	39	2	4	1	3	—	—	—	2	—	1	—	1	—	2
				VII.	Violence	4	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
				VIII.	Ill-defined or not specified causes.....	3	1	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—

Ages at Death.

Months.	Births.			Class.	Causes of Death.	Deaths.																
						Totals			Ages at Death.													
	1		2						3		4		5		10		15					
M.	F.	Total	M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
July	62	62	124		All causes	51	33	84	12	9	5	1	1	—	—	—	—	1	2	2	—	—
				I.	Specific febrile or zymotic diseases	10	4	14	—	1	2	—	1	—	—	—	—	2	1	—	—	
				II.	Parasitic diseases	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
				III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				IV.	Constitutional diseases	7	5	12	1	—	—	—	—	—	—	—	—	—	—	—	—	
				V.	Developmental diseases	3	6	9	2	2	—	—	—	—	—	—	—	—	—	—	—	
				VI.	Local diseases	23	12	35	5	2	2	1	—	—	—	—	1	—	1	—	—	
				VII.	Violence	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
				VIII.	Ill-defined or not specified causes	5	5	10	4	3	1	—	—	—	—	—	—	—	—	—	—	
August.....	70	63	133		All causes	47	28	75	10	5	3	1	—	—	1	1	—	2	—	1	—	
				I.	Specific febrile or zymotic diseases	1	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				IV.	Constitutional diseases	10	5	15	—	—	—	—	—	—	—	—	—	1	—	—	—	
				V.	Developmental diseases	7	4	10	2	—	—	—	—	—	—	—	—	—	—	—	—	
				VI.	Local diseases	24	16	40	5	2	3	1	—	—	1	1	—	1	—	1	—	
				VII.	Violence	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
				VIII.	Ill-defined or not specified causes	4	2	6	2	2	—	—	—	—	—	—	—	—	—	—	—	
September .	69	62	131		All causes	37	28	65	5	5	3	—	1	2	—	—	1	—	2	1	2	
				I.	Specific febrile or zymotic diseases	3	1	4	1	—	—	—	—	1	—	—	—	—	—	—	—	
				II.	Parasitic diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	
				III.	Dietic diseases	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
				IV.	Constitutional diseases	5	7	12	—	1	—	—	—	—	—	—	—	—	1	—	—	
				V.	Developmental diseases	5	3	8	—	—	—	—	—	—	—	—	—	—	—	—	—	
				VI.	Local diseases	18	12	30	2	2	3	—	—	1	—	—	1	—	1	—	1	
				VII.	Violence	3	2	5	1	—	—	—	1	—	—	—	—	—	—	—	1	
				VIII.	Ill-defined or not specified causes	2	2	4	1	2	—	—	—	—	—	—	—	—	—	—	—	
October ...	62	57	119		All causes	35	27	62	8	2	1	3	1	—	1	—	—	1	—	—	—	
				I.	Specific febrile or zymotic diseases	1	4	5	—	—	—	1	—	—	1	—	—	—	—	—	—	
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				IV.	Constitutional diseases	8	10	18	—	—	—	1	—	—	—	—	—	—	—	—	—	
				V.	Developmental diseases	5	1	6	2	—	—	—	—	—	—	—	—	—	—	—	—	
				VI.	Local diseases	15	10	25	2	2	1	—	1	—	—	—	—	—	1	—	—	
				VII.	Violence	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
				VIII.	Ill-defined or not specified causes	4	2	6	4	—	—	1	—	—	—	—	—	—	—	—	—	
November .	47	60	107		All causes	51	29	80	18	9	4	3	—	—	—	—	2	—	1	1	—	
				I.	Specific febrile or zymotic diseases	12	7	19	8	4	3	2	—	—	—	—	1	—	—	—	—	
				II.	Parasitic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				III.	Dietic diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
				IV.	Constitutional diseases	6	4	10	—	1	—	—	—	—	—	—	—	—	—	1	—	
				V.	Developmental diseases	2	3	5	1	—	—	1	—	—	—	—	—	—	—	—	—	
				VI.	Local diseases	22	12	34	4	2	1	—	—	—	—	—	—	—	1	—	—	
				VII.	Violence	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	
				VIII.	Ill-defined or not specified causes	7	2	9	5	2	—	—	—	—	—	—	1	—	—	—	—	
December .	60	42	102		All causes	71	40	111	24	16	4	1	—	—	—	1	2	1	2	—	1	
				I.	Specific febrile or zymotic diseases	14	11	25	8	7	1	—	—	—	—	—	1	—	1	—	—	
				II.	Parasitic diseases	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
				III.	Dietic diseases	3	1	4	3	1	—	—	—	—	—	—	—	—	—	—	—	
				IV.	Constitutional diseases	11	6	17	—	—	—	—	—	—	—	—	—	—	—	1	—	
				V.	Developmental diseases	9	3	12	2	1	—	—	—	—	—	—	—	—	—	—	—	
				VI.	Local diseases	28	17	45	7	5	3	1	—	—	—	1	1	1	1	—	—	
				VII.	Violence	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
				VIII.	Ill-defined or not specified causes	4	2	6	4	2	—	—	—	—	—	—	—	—	—	—	—	

in the City of Adelaide in each Month in 1884—continued.

Deaths.

Ages at Death.

20		25		30		35		40		45		50		55		60		65		70		75		80		85		90		95		100		Not stated.	
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
2	I	2	3	2	2	I	I	5	I	5	—	4	—	3	2	—	—	3	2	—	4	2	2	I	I	I	—	—	I	—	—	—	—	—	—
I	—	I	I	—	—	—	—	—	—	—	—	I	—	—	—	—	—	2	—	—	I	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	I	I	2	I	—	—	—	2	I	I	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	I	—	I	I	I	—	—	—	—	—	—	—	—	—	
I	I	—	I	—	I	—	I	I	—	4	—	3	—	3	—	—	—	I	—	—	2	2	I	—	I	—	—	—	I	—	—	—	—	—	
—	—	—	—	—	—	I	—	—	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	I	4	2	3	2	5	I	3	2	2	2	2	—	I	2	1	I	2	3	4	I	2	2	—	I	I	I	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	I	I	—	3	I	2	—	2	—	—	2	—	—	—	I	—	—	—	I	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	3	2	—	I	2	I	I	2	I	—	2	—	I	I	I	I	I	3	I	I	—	2	2	—	1	I	I	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	I	—	—	—	—	—	—	—	—	—	I	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
I	I	2	—	4	I	I	I	I	3	I	I	3	I	2	—	3	2	I	I	I	2	2	—	3	3	2	—	—	—	—	—	—	—	—	
—	—	—	—	I	—	—	—	—	—	—	—	—	—	—	—	I	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	I	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
I	I	I	—	I	I	—	I	—	—	—	—	I	—	I	—	—	I	—	—	I	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	I	—	I	—	I	—	I	2	I	I	I	I	I	—	2	—	I	I	I	I	2	—	3	3	2	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	2	4	2	2	2	—	I	3	3	—	2	I	3	—	2	5	2	2	I	I	—	3	I	I	—	—	—	—	—	—	—	—	—	—	
I	I	—	I	—	—	—	—	—	I	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
I	I	2	—	I	2	—	—	—	—	—	—	I	I	2	—	2	I	I	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
I	—	I	I	I	—	—	I	2	2	—	I	—	I	—	—	4	—	—	—	—	—	I	I	I	—	—	—	—	—	—	—	—	—	—	
—	—	I	—	—	—	—	—	I	—	—	—	—	—	—	—	—	I	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—												

No. 12.—Return of Births and Deaths registered in South Australia in the Years 1879-1884.

Years	1879.	1880.	1881.	1882.	1883.	Average of 5 Years.	1884.								
Population, mean	255,148	264,424	288,537	295,982	304,804		314,293								
Births	9,902	10,262	10,708	10,844	11,173	10,578	11,847								
Rate per 1,000	38.81	38.81	37.11	36.64	36.64	—	37.69								
Deaths—							All Ages.	Under 1 year.	1 and under 5 years.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and up- wards.	Not stated.
All causes	3,580	3,912	4,012	4,393	4,435	4,066	4,789	1,590	737	414	745	584	600	116	3
Rate per 1,000	14.04	14.79	13.90	14.34	14.55	—	15.14	—	—	—	—	—	—	—	—
CLASSES.															
I. Specific Febrile or Zymotic Diseases	618	722	727	837	897	—	966	415	298	120	90	25	17	1	—
II. Parasitic Diseases	18	17	18	31	23	—	32	18	1	2	6	3	2	—	—
III. Dietic Diseases ..	58	67	89	94	69	—	60	39	1	—	12	7	1	—	—
IV. Constitutional Dis- eases	438	493	501	575	520	—	602	81	45	71	211	131	61	2	—
V. Developmental Dis- eases	248	276	286	345	338	—	399	119	1	2	—	—	188	89	—
VI. Local Diseases	1,599	1,721	1,809	1,895	1,969	—	2,035	568	327	167	331	343	282	17	—
VII. Violence	219	217	232	211	202	—	239	10	34	46	80	41	27	1	—
VIII. Ill-defined and not specified causes..	382	399	350	405	417	—	456	340	30	6	15	34	22	6	3

Causes of Deaths registered in 1884.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.								
Measles	34	105	Scrofula, tuberculosis	—	8	Accidents of childbirth	—	42
Scarlet fever	8	21	Other constitutional diseases	14	10	Diseases of locomotive system	—	18
Relapsing fever	—	—				Diseases of integumentary system	2	6
Influenza	—	—	V.					
Whooping cough	31	22	Premature birth	104	—	VII		
Diphtheria	9	102	Cyanosis	3	3	(Accident.)		
Simple and ill-defined fever..	4	13	Congenital malformation ..	12	—	Fracture and contusion	1	77
Enteric fever	4	130	Old age	—	277	Gunshot wound	—	10
Simple cholera	11	5				Cut, stab	—	1
Diarrhoea, dysentery	299	123	VI.			Burn and scald	3	23
Remittent fever	1	5	Apoplexy	1	71	Poison	—	3
Venereal affections	9	8	Epilepsy	—	22	Drowning	—	55
Erysipelas	5	6	Convulsions	162	26	Suffocation	3	7
Pyæmia and septicæmia	—	4	Other diseases of brain and and nervous system	67	201	Otherwise	—	20
Puerperal fever	—	7	Diseases of organs of special sense ..	—	—	(Homicide.)		
Other zymotic diseases	—	—	Diseases of circulatory system	5	254	Murder and manslaughter ..	3	2
II.			Croup	9	76	(Suicide.)		
Thrush	17	—	Bronchitis	85	137	Gunshot wound	—	3
Worms and other parasitical diseases	1	14	Pneumonia	54	175	Cut, stab	—	5
III.			Pleurisy	—	9	Poison	—	8
Privation, want of breast milk	39	9	Other diseases of respiratory system	22	81	Drowning	—	8
Alcoholism	—	12	Dentition	76	25	Hanging	—	7
IV.			Quinsy, sore throat	1	2	Otherwise	—	—
Rheumatic fever and rheu- matism of heart	1	8	Enteritis	47	39	VIII.		
Rheumatism	—	19	Peritonitis	1	45	Dropsy	5	31
Gout	—	2	Diseases of liver	9	68	Debility, atrophy, inanition	333	47
Cancer	—	109	Other diseases of digestive system	23	62	Mortification	—	5
Tabes mesenterica	43	18	Diseases of lymphatic system and of ductless glands....	1	6	Tumor	—	9
Tubercular meningitis	17	30	Diseases of urinary system	3	89	Abscess	1	10
Phthisis	6	317	Diseases of generative system	—	13	Hæmorrhage	1	5
						Sudden, cause unascertained	—	4
						Other ill-defined and not specified causes	—	5

No. 13.—Return of Births and Deaths registered in the City of Adelaide in the Year ended December 31st, 1879–1884.

Years	1879.	1880.	1881.	1882.	1883.	Average of 5 Years.	1884.								
Population (estimated)....	35,716	37,097	38,479	39,860	41,241		42,605								
Births	1,332	1,298	1,380	1,219	1,398	1,325	1,402								
Rate per 1,000 of population	37.3	34.9	35.8	30.6	33.9	—	32.9								
<i>Deaths—</i>															
All causes	909	971	912	1,057	987	967	All Ages.	Under 1 year.	1 and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and up- wards.	Not stated.
Rate per 1,000	25.4	26.1	23.7	26.5	23.9	—	24.4	—	—	—	—	—	—	—	—
I. Specific Febrile or Zymotic Diseases ..	142	169	179	180	183	—	212	79	68	26	25	8	6	—	—
II. Parasitic Diseases ..	4	6	5	5	4	—	9	1	—	2	2	4	—	—	—
III. Dietic Diseases	32	19	15	25	15	—	11	9	—	—	2	—	—	—	—
IV. Constitutional Di- seases	147	171	155	168	150	—	166	9	10	19	67	44	17	—	—
V. Developmental Di- seases	79	80	66	92	77	—	82	16	1	—	—	—	47	18	—
VI. Local Diseases	395	397	401	450	433	—	432	85	55	28	101	94	67	2	—
VII. Violence	42	42	43	33	46	—	37	2	2	5	12	14	2	—	—
VIII. Ill-defined and not specified causes ..	68	97	48	104	79	—	94	68	12	—	3	6	5	—	—

Causes of Deaths registered in 1884.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.			Scrofula, tuberculosis	1	1	Accidents of childbirth	—	5
Measles	3	21	Other constitutional diseases.	—	2	Diseases of locomotive system	—	5
Scarlet fever	—	1				Diseases of integumentary system	1	1
Relapsing fever	—	—	V.					
Influenza	—	—	Premature birth	13	—	VII.		
Whooping cough	2	6	Cyanosis	1	1	(Accident.)		
Diphtheria	—	18	Congenital malformation ..	2	—	Fracture and contusion	—	13
Simple and ill-defined fever..	—	1	Old age	—	65	Gunshot wound	—	2
Enteric fever	—	44				Cut, stab	—	—
Simple cholera	1	—	VI.			Burn and scald.....	1	3
Diarrhoea, Dysentery	67	30	Apoplexy	2	18	Poison	—	1
Remittent fever	—	—	Epilepsy	—	9	Drowning	—	2
Venereal affections.....	6	8	Convulsions	25	1	Suffocation	—	—
Erysipelas	—	—	Other diseases of brain and nervous system	10	75	Otherwise	—	4
Pyæmia and Septicæmia	—	2	Diseases of organs of special sense	—	—	(Homicide.)		
Puerperal fever	—	2	Diseases of circulatory system	1	74	Murder and manslaughter ..	1	—
Other zymotic diseases	—	—	Croup	1	8	(Suicide.)		
II.			Bronchitis	5	19	Gunshot wound	—	1
Thrush	1	—	Pneumonia	10	35	Cut, stab	—	2
Worms and other parasitical diseases	—	8	Pleurisy	—	2	Poison	—	3
III.			Other diseases of respiratory system	3	10	Drowning	—	1
Privation, want of breast milk	9	—	Dentition	14	5	Hanging	—	3
Alcoholism	—	2	Quinsy, sore throat	—	—	Otherwise	—	—
IV.			Enteritis	9	8	VIII.		
Rheumatic fever and rheu- matism of heart	—	1	Peritonitis.....	1	12	Dropsy	—	2
Rheumatism	—	5	Diseases of liver	1	18	Debility, atrophy, inanition.	68	15
Gout	—	—	Other diseases of digestive system	2	10	Mortification.....	—	—
Cancer	—	35	Diseases of lymphatic system and of ductless glands ..	—	2	Tumor	—	3
Tabes mesenterica	6	4	Diseases of urinary system..	—	28	Abscess	—	6
Tubercular meningitis	2	7	Diseases of generative system	—	2	Hæmorrhage	—	—
Phthisis	—	102				Sudden, cause unascertained.	—	—
						Other ill-defined and not specified causes	—	—

No. 14.—Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of Persons not usually resident in the City, in 1884.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
Area in acres	3,632	573	659	552	718	480	650
Estimated population	42,605	7,095	7,784	9,190	9,451	3,828	5,257
Persons to an acre	11.7	12.4	11.8	16.6	13.1	7.9	8.0
Births	1,402	250	211	294	375	106	166
Male	712	131	112	149	186	48	86
Female	690	119	99	145	189	58	80
Deaths	883	214	175	188	163	60	83
Male	485	132	98	90	87	33	45
Female	398	82	77	98	76	27	38
<i>Classes—</i>							
I. Specific febrile or zymotic diseases	192	30	47	56	30	8	21
II. Parasitic diseases	4	—	2	—	1	1	—
III. Dietic diseases	10	3	1	1	3	1	1
IV. Constitutional diseases	144	37	25	28	28	12	14
V. Developmental diseases	65	24	10	14	9	3	5
VI. Local diseases	350	86	68	62	72	28	34
VII. Violence	25	9	5	2	6	2	1
VIII. Ill-defined and not specified causes	93	25	17	25	14	5	7
Deaths to 1,000 of population of each ward	20.7	30.2	22.9	20.5	17.3	15.7	15.8

Causes of Death registered in 1884.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.								
Measles	3	23	Phthisis	—	89	Diseases of generative system	—	1
Scarlet fever	—	1	Scrofula, tuberculosis	—	2	Accidents of childbirth	—	4
Relapsing fever	—	—	Other constitutional diseases	—	2	Diseases of locomotive system	—	6
Influenza	—	—				Diseases of integumentary system	1	1
Whooping cough	2	6	V.					
Diphtheria	—	16	Premature birth	12	—	VII.		
Simple and ill-defined fever	—	1	Cyanosis	1	1	(Accident.)		
Enteric fever	—	33	Congenital malformation	1	—	Fracture and contusion	—	9
Simple cholera	1	—	Old age	—	50	Gunshot wound	—	—
Diarrhoea, dysentery	62	29				Cut, stab	—	—
Remittent fever	—	—	VI.			Burn and scald	1	1
Veneral affections	6	5	Apoplexy	2	18	Poison	—	—
Erysipelas	—	—	Epilepsy	—	8	Drowning	—	2
Pyæmia and Septicæmia	—	2	Convulsions	25	1	Suffocation	—	—
Puerperal fever	—	2	Other diseases of brain and nervous system	11	45	Otherwise	—	4
Other zymotic diseases	—	—	Diseases of organs of special sense	—	—	(Homicide.)		
II.			Diseases of circulatory system	1	57	Murder and manslaughter	1	—
Thrush	1	—	Croup	1	7	(Suicide.)		
Worms and other parasitical diseases	—	3	Bronchitis	5	16	Gunshot wound	—	1
III.			Pneumonia	9	26	Cut, stab	—	2
Privation, want of breast milk	6	2	Pluerisy	—	1	Poison	—	2
Alcoholism	—	2	Other diseases of respiratory system	3	11	Drowning	—	1
IV.			Dentition	11	3	Hanging	—	1
Rheumatic fever and rheumatism of heart	—	1	Quinsy, sore throat	—	—	Otherwise	—	—
Rheumatism	—	4	Enteritis	7	8	VIII.		
Gout	—	—	Peritonitis	—	6	Dropsy	—	3
Cancer	—	29	Diseases of liver	1	16	Debility, Atrophy, Inanition	61	21
Tabes Mesenterica	6	2	Other diseases of digestive system	6	13	Mortification	—	—
Tubercular meningitis	2	7	Diseases of lymphatic systems and of ductless glands	—	1	Tumor	—	3
			Diseases of urinary system	—	18	Abscess	1	4
						Hæmorrhage	—	—
						Sudden, cause unascertained	—	—
						Other ill-defined and not specified causes	—	—

No. 15.—Births and Deaths registered in the Corporate Towns specified in 1884.

Corporate Towns.	Population.	Births.	Deaths.	Rate of Mortality per 1,000 living.	The Deaths Registered include Death from—								
					Measles.	Scarlet Fever.	Diphtheria.	Whooping Cough.	Enteric Fever.	Diarrhœa.	Diseases of Respiratory Organs.	Phthisis.	Diseases of Circulatory System.
Adelaide	42,605	1,402	1,043	24.4	24	1	18	8	44	117	93	102	75
Hindmarsh.....	7,516	323	121	16.1	4	2	4	1	6	31	17	8	4
Thebarton	2,420	118	67	27.6	—	1	—	—	5	10	14	4	—
Port Adelaide.....	3,651	122	57	15.9	1	—	—	—	1	—	7	4	3
Semaphore	5,061	251	65	12.8	4	—	1	—	4	4	14	8	4
Glenelg	2,950	112	66	22.3	—	—	—	—	1	4	11	6	6
Brighton	950	25	16	16.8	—	—	1	2	1	—	7	—	—
Unley	8,005	494	181	22.1	6	—	3	—	2	12	14	6	12
Norwood and Kensington	11,175	578	222	16.2	9	1	5	3	9	28	24	21	10
Gawler	2,075	102	38	18.3	—	—	1	—	3	4	3	1	1
Kapunda.....	2,350	96	39	16.6	2	—	1	—	1	3	4	1	5
Burra.....	2,837	112	47	16.5	—	—	—	—	3	3	6	3	1
Clare	1,282	30	19	14.8	—	—	—	—	—	2	—	—	—
Jamestown.....	1,093	64	9	8.3	—	—	1	—	—	2	2	—	—
Port Augusta	1,820	150	72	39.5	1	—	2	1	1	7	12	4	7
Port Pirie	997	103	33	33.0	—	—	1	2	1	—	4	—	5
Kadina	1,732	80	32	18.5	1	—	—	—	1	—	9	1	—
Moonta	1,549	110	53	34.2	2	1	—	—	3	2	6	1	6
Wallaroo	1,957	60	26	13.2	—	—	—	—	—	1	2	4	1
Goolwa	757	30	11	14.5	—	—	1	—	—	1	3	—	—
Strathalbyn	820	52	23	28.1	—	—	—	—	—	—	3	—	2
Mount Gambier	2,730	112	76	27.7	—	—	—	—	—	3	12	4	8

No. 16.—Return showing Number of Deaths in Province from each cause (specified) in 1884, arranged in order of fatality.						
Order of Fatality.	Cause of Death.	Total.	1884.		Total.	
			Under 5 Years.	5 Years and above.		
1	Diarrhœa	422	385	37	399	
2	Atrophy	386	353	27	353	
3	Phthisis	323	15	308	343	
4	Old age	277	—	277	199	
5	Pneumonia	229	103	126	221	
6	Bronchitis	222	154	68	226	
7	Heart disease	189	182	7	222	
8	Convulsions	188	186	2	215	
9	Measles	139	116	23	12	
10	Enteric fever	134	17	117	135	
11	Brain disease	113	54	59	117	
12	Diphtheria	111	86	25	49	
13	Cancer	109	1	108	86	
14	Premature birth	102	102	—	111	
15	Teething	101	101	—	87	
16	Enteritis	86	62	24	70	
17	Croup	85	72	13	108	
18	Liver disease	82	12	70	34	
19	Fracture and contusion	78	3	75	79	
20	Inflammation of brain or its membranes	73	49	24	60	
21	Apoplexy	72	2	70	82	
22	Lung disease	72	32	40	56	
23	Childbirth	62	—	62	43	
24	Tabes Mesenterica	61	60	1	47	
25	Drowning (accident)	55	14	41	39	
26	Whooping cough	53	51	2	128	
27	Hydrocephalus	47	35	12	32	
28	Peritonitis	46	6	40	48	
29	Dropsy	37	7	30	31	
30	Starvation: want of breast milk	34	34	—	57	
31	Scarlatina	29	20	9	24	
32	Bright's disease	28	—	28	19	
33	Rheumatism	28	4	24	14	
34	Stomach disease	27	12	15	22	
35	Burns and scalds	26	18	8	21	
36	Epilepsy	22	—	22	13	
37	Joint disease	19	2	19	17	
38	Thrush	18	17	1	20	
39	Cholera	17	12	4	17	
40	Nephritis	16	1	15	16	
41	Kidney disease	14	5	9	8	
42	Pericarditis	14	—	14	6	
43	Hydatid disease	13	9	4	19	
44	Syphilis	13	—	13	8	
45	Malformation	12	12	—	15	
46	Aneurism	12	—	12	14	
47	Tumor	12	3	9	4	
48	Abscess	11	6	5	8	
49	Uterus disease	11	—	11	8	
50	Suffocation	10	4	6	10	
51	Hernia	10	—	10	6	
52	Gunshot wound (accident)	10	—	10	2	
53	Pleurisy	8	2	7	13	
54	Skin disease	8	4	4	15	
55	Scrofula	8	—	8	13	
56	Drowning (suicide)	8	—	8	10	
57	Hanging (suicide)	7	—	7	9	
58	Intemperance	7	—	7	7	
59	Metra	7	—	7	6	
60	Sunstroke	7	—	7	2	
61	Remittent fever	7	1	6	11	
62	Exposure to weather	6	—	6	6	
63	Mortification	5	—	5	5	
64	Cut (suicide)	5	—	5	5	
65	Cystitis	4	1	3	8	
66	Poison (accident)	3	—	3	8	
67	Poison (suicide)	3	—	3	6	
68	Stricture of intestines	3	1	2	6	
69	Intussusception	3	—	3	3	
70	Ascites	2	—	2	4	
71	Diabetes	2	—	2	3	
72	Gout	2	—	2	3	
73	2	—	2	3	

No. 17.—Decennial Return showing the Total Deaths in each Class and Order registered in the Province.

	1875.		1876.		1877.		1878.		1879.		1880.		1881.		1882.		1883.		1884.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ALL CAUSES	2,218	1,918	1,983	1,567	1,740	1,495	2,081	1,668	2,041	1,539	2,207	1,705	2,223	1,789	2,430	1,963	2,444	1,991	2,638	2,151
I.—SPECIFIC FEBRILE OR ZYMOTIC DISEASES....	558	577	380	362	305	287	386	334	324	300	332	386	366	364	434	412	437	464	499	467
II.—PARASITIC DISEASES	9	9	12	10	14	11	5	12	11	7	11	6	13	6	17	14	15	9	21	11
III.—DIETIC DISEASES	32	22	25	31	33	12	35	27	38	25	46	29	52	40	58	41	44	31	37	23
IV.—CONSTITUTIONAL DISEASES.....	202	157	213	186	191	177	217	218	268	189	291	206	258	250	338	238	285	239	329	273
V.—DEVELOPMENTAL DISEASES.....	120	100	127	108	90	86	148	108	132	116	141	130	165	119	173	170	176	155	208	191
VI.—LOCAL DISEASES	938	806	883	628	776	657	865	713	883	697	996	725	996	811	1,039	845	1,114	858	1,108	927
VII.—VIOLENCE	132	33	134	49	132	33	185	41	176	34	168	48	174	58	167	43	157	45	195	44
VIII.—ILL-DEFINED AND NOT SPECIFIED CAUSES ..	227	214	209	193	199	232	240	215	209	171	222	175	199	141	204	200	216	190	241	215
I.																				
1. Miasmatic Diseases	372	368	214	194	102	122	152	152	139	161	133	186	152	149	152	158	161	198	232	251
2. Diarrhoeal Diseases	159	170	144	133	185	153	210	158	162	118	181	176	188	182	262	220	256	225	245	193
3. Malarial Diseases	10	11	10	12	8	9	7	10	4	2	9	5	6	2	5	5	4	7	2	4
4. Zoogenous Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
5. Venereal Diseases.....	3	2	4	2	3	2	8	5	8	4	8	3	11	10	2	5	5	5	11	6
6. Septic Diseases.....	14	26	8	21	7	1	9	9	11	15	1	16	9	20	13	24	11	29	9	13
II.																				
Parasitic Diseases	9	9	12	10	14	11	5	12	11	7	11	6	13	6	17	14	15	9	21	11
III.																				
Dietic Diseases	32	22	25	31	33	12	35	27	38	25	46	29	52	40	58	41	44	31	37	23
IV.																				
Constitutional Diseases	202	157	213	186	191	177	217	218	268	189	291	206	258	250	338	238	285	239	329	273
V.																				
Developmental Diseases	120	100	127	108	90	86	148	108	132	116	141	130	165	119	173	170	176	155	208	191
VI.																				
1. Diseases of Nervous System.....	289	243	248	164	239	199	248	197	301	196	243	185	293	234	331	242	313	244	332	218
2. Organs of Special Sense	—	1	1	—	—	—	1	1	—	—	—	1	—	—	2	—	—	—	—	—
3. Circulatory System	99	80	84	60	105	83	109	81	120	87	128	82	131	87	131	82	152	99	146	113
4. Respiratory Organs	314	223	319	201	197	144	279	206	261	199	386	257	328	237	334	239	391	276	358	290
5. Digestive System	183	184	178	131	182	161	175	152	160	131	182	132	192	159	185	177	197	155	191	207
6. Lymphatic System and Ductless Glands.....	2	—	4	—	2	—	—	—	—	—	2	—	—	—	1	1	1	1	5	2
7. Urinary System	36	21	43	10	36	18	43	14	19	20	40	22	40	18	43	19	42	19	58	34
8. Reproductive System—																				
(a) Diseases of Organs of Generation	—	7	—	9	—	5	—	10	—	12	—	5	—	12	—	11	—	11	—	13
(b) Diseases of Parturition	—	41	—	46	—	41	—	43	—	45	—	35	—	56	—	61	—	43	—	42
9. Organs of Locomotion	12	3	5	5	12	3	4	6	11	2	5	3	7	2	9	6	12	8	14	4
10. Integumentary System	3	3	1	2	3	3	6	3	11	5	10	3	5	6	5	5	6	2	4	4
VII.																				
1. Accident or Negligence	114	31	123	44	114	31	165	37	157	32	146	40	138	54	148	38	131	36	167	36
2. Homicide	1	1	—	1	1	1	2	2	1	2	3	2	5	1	3	3	2	—	4	1
3. Suicide	16	1	11	4	16	1	16	2	18	—	19	6	31	3	16	2	22	9	24	7
4. Execution	1	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	2	—	—	—
VIII.																				
Ill-defined and not specified causes.....	227	214	209	193	199	232	240	215	209	171	222	175	199	141	204	200	216	190	241	215

No. 17.—Decennial Return showing the Causes of Death registered in the Province—continued.

Class.	Cause of Death.	1875.		1876.		1877.		1878.		1879.		1880.		1881.		1882.		1883.		1884.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
I.	<i>Miasmatic Diseases.</i>																				
	Measles	38	37	2	3	1	—	1	1	1	—	2	7	33	39	2	9	7	5	60	79
	Epidemic Rose Rash	1	—	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Scarlet Fever	238	246	122	122	31	40	14	14	33	39	42	63	26	24	12	22	6	18	13	16
	Influenza	3	7	3	6	—	1	1	3	—	2	3	3	2	—	2	2	3	—	—	—
	Whooping Cough	—	2	3	7	12	23	39	48	20	21	12	26	8	19	17	26	60	68	19	34
	Mumps	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	Diphtheria	39	35	24	24	22	8	33	43	36	46	43	50	33	25	33	34	26	23	58	53
	Simple and ill-defined Fever	—	—	—	—	—	—	—	—	1	—	1	2	2	3	2	5	2	4	8	9
	Enteric Fever	53	41	60	32	35	49	63	43	48	53	30	33	47	38	86	60	58	77	74	60
	<i>Diarrhœal Diseases.</i>																				
	Simple Cholera	7	5	5	6	2	—	12	6	6	4	10	13	13	13	15	10	13	12	10	6
	Diarrhœa, Dysentery	152	165	139	127	183	153	198	152	156	114	171	163	175	169	247	210	243	213	235	187
	<i>Malarial Diseases.</i>																				
	Remittent Fever	10	11	10	12	8	9	7	10	4	2	9	5	6	2	5	5	4	7	2	4
	<i>Zoogenous Diseases.</i>																				
	Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	<i>Venereal Diseases.</i>																				
	Syphilis	3	2	1	2	1	2	6	5	7	4	6	3	7	10	2	5	5	5	7	6
	Gonorrhœa, Stricture of Urethra ..	—	—	3	—	2	—	2	—	1	—	2	—	4	—	—	—	—	—	4	—
	<i>Septic Diseases.</i>																				
	Erysipelas	12	18	6	17	5	5	7	5	7	6	1	7	7	10	9	10	8	12	9	2
	Pyæmia, Septicæmia	2	2	2	1	2	2	2	—	4	2	—	5	2	3	4	5	3	11	—	4
	Puerperal Fever	—	6	—	3	—	4	—	4	—	7	—	4	—	7	—	9	—	6	—	7
II.	<i>Parasitic Diseases.</i>																				
	Thrush	8	6	7	10	10	9	5	10	10	5	10	4	6	4	9	8	9	8	10	7
	Hydatid Disease	1	3	3	—	1	—	—	—	—	—	1	2	—	—	7	5	6	—	10	3
	Other diseases from animal parasites	—	—	2	—	3	2	—	2	1	2	—	—	7	2	1	1	—	1	1	1
III.	<i>Dietic Diseases.</i>																				
	Starvation, Want of Breast Milk ..	19	19	11	20	14	9	21	22	28	17	33	22	40	32	51	33	36	29	25	19
	Scurvy	2	1	—	2	1	—	2	—	3	3	3	3	1	2	1	2	—	2	2	2
	Intemperance { Chronic Alcoholism { Delirium Tremens..	5	2	8	7	14	2	10	3	6	5	7	4	10	6	6	6	6	1	5	2
IV.	<i>Constitutional Diseases.</i>																				
	Rheumatic Fever, Rheumatism of Heart	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	6	3
	Rheumatism	16	16	11	8	17	10	7	4	13	7	10	10	11	12	16	3	5	9	10	9
	Gout	2	1	4	—	2	—	1	—	1	—	1	1	1	1	3	—	3	—	1	1
	Cancer	25	22	34	43	36	36	24	40	32	33	39	35	46	45	52	37	47	39	58	51
	Tabes Mesenterica	24	14	21	7	13	19	23	23	29	8	29	25	26	24	26	24	21	26	36	25
	Tubercular Meningitis (Acute Hydrocephalus)	10	6	14	11	7	9	12	9	11	8	25	14	25	12	25	18	14	18	21	26
	Phthisis	118	90	118	111	106	97	133	134	163	108	169	108	137	137	194	147	176	137	178	145
	Other forms of Tuberculosis, Scrofula	2	2	7	3	8	4	7	—	9	16	7	4	5	9	6	5	8	5	7	1
	Anæmia, Chlorosis, Leucocythæmia	1	2	1	1	—	1	3	4	3	1	4	5	3	4	4	2	5	3	9	8
	Diabetes Mellitus	1	2	3	2	—	1	5	3	4	2	3	2	3	3	3	1	2	1	1	1
	Other Constitutional Diseases	3	2	—	—	2	—	—	—	3	6	4	2	1	3	9	1	4	1	2	3

No. 17.—Decennial Return showing the Causes of Death registered in the Province—continued.

CLASS.	Cause of Death.	1875.		1876.		1877.		1878.		1879.		1880.		1881.		1882.		1883.		1884.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
V.	<i>Developmental Diseases.</i>																				
	Premature Birth	45	34	35	24	27	11	50	28	45	42	45	34	53	39	59	72	60	51	61	41
	Atelectasis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
	Cyanosis	1	—	1	2	—	—	3	1	3	1	2	4	2	2	4	4	3	3	2	4
	Spina Bifida	3	1	3	1	—	1	1	1	2	1	—	4	3	—	1	—	2	4	—	—
	Imperforate Anus	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—
	Cleft Palate, Harelip	—	—	—	1	—	—	—	—	1	—	1	—	1	—	1	—	—	—	—	—
	Other Congenital Defects	5	2	5	3	6	4	7	6	3	2	13	5	7	3	8	5	8	1	5	5
	Old Age	66	63	83	77	57	70	87	72	80	69	79	87	98	71	101	87	103	96	136	141
VI.	<i>Diseases of Nervous System.</i>																				
	Inflammation of Brain or its Mem- branes	14	12	17	9	23	16	29	13	20	24	24	23	32	40	30	35	32	45	28	28
	Apoplexy	41	25	34	13	26	28	26	26	58	25	47	34	48	28	44	39	46	36	48	24
	Softening of Brain	4	2	2	—	2	2	3	5	5	3	3	4	4	3	8	2	—	—	13	2
	Hemiplegia, Brain Paralysis	22	19	36	8	21	13	26	13	31	19	33	12	45	25	38	25	33	21	32	13
	Insanity, General Paralysis of Insane	9	5	7	3	13	5	3	1	5	4	4	3	3	—	1	2	5	3	9	1
	Chorea	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	1	1	1
	Epilepsy	6	5	7	4	6	9	5	4	4	2	13	6	15	15	12	8	8	5	12	10
	Convulsions	121	125	90	83	81	82	88	87	103	65	74	61	91	86	106	74	115	100	96	92
	Laryngismus Stridulus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
	Idiopathic Tetanus	3	1	2	—	1	—	1	—	—	—	2	—	1	1	1	1	—	—	2	—
	Paraplegia, Disease of Spinal Cord	1	1	1	—	1	1	—	—	1	—	1	—	—	1	2	1	—	—	7	1
	Other diseases of Nervous System ..	68	47	52	43	65	43	67	47	74	54	42	41	63	43	77	59	71	46	67	46
	<i>Diseases of Organs of Special Sense.</i>																				
	Otitis, Otorrhœa	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—
	Ophthalmia and Disease of Eye	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—
	<i>Diseases of Circulatory System.</i>																				
	Endocarditis, Valvular Disease	1	—	—	—	1	—	—	—	1	—	1	—	1	—	—	—	—	—	9	5
	Pericarditis	5	—	4	3	2	3	2	2	1	2	3	3	2	7	8	1	6	2	6	8
	Hypertrophy of Heart	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	9	8
	Angina Pectoris	1	—	1	—	1	—	1	—	1	1	1	1	2	—	3	1	1	1	1	1
	Syncope	—	1	1	1	—	1	1	1	2	4	1	2	1	—	1	3	2	1	6	1
	Aneurism	11	2	6	1	13	3	10	3	11	3	11	1	10	3	16	—	13	11	11	1
	Senile Gangrene	—	—	—	—	—	—	2	—	—	—	2	—	—	—	1	1	1	—	1	1
	Embolism, Thrombosis	—	—	—	—	—	—	1	—	—	1	2	—	1	4	—	2	—	—	1	1
	Phlebitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—
	Varicose Veins	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
	Other diseases of Circulatory System	81	77	72	55	88	76	92	75	103	75	107	75	114	72	100	73	129	93	102	87
	<i>Diseases of Respiratory Organs.</i>																				
	Laryngitis	10	4	8	3	1	3	9	9	9	10	4	6	4	7	12	1	8	4	1	1
	Croup	27	22	34	20	21	13	25	28	34	52	53	50	38	27	58	41	63	45	37	48
	Other diseases of Larynx and Trachea ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
	Emphysema, Asthma	10	5	11	4	9	6	8	8	13	2	6	6	13	4	9	6	14	7	17	4
	Bronchitis	130	90	140	111	79	57	118	103	81	64	194	129	125	102	105	100	117	109	118	104
	Pneumonia	95	58	93	39	61	45	75	36	94	45	92	47	114	70	108	64	138	83	134	95
	Pleurisy	8	6	5	6	8	2	11	5	6	5	9	5	11	6	10	6	9	4	7	2
	Other diseases of Respiratory System	34	38	36	18	18	18	33	17	24	21	28	14	23	21	32	21	42	24	44	28
	<i>Diseases of Digestive System.</i>																				
	Stomatitis	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	1
	Dentition	50	39	41	39	53	53	48	45	38	27	38	42	48	32	—	47	45	42	49	52
	Sore Throat, Quinsy	1	—	3	3	1	1	2	3	1	2	5	8	2	3	4	1	1	—	1	2
	Dyspepsia	—	—	1	—	—	—	2	1	1	—	—	—	—	—	—	—	1	—	2	—
	Hæmatemesis	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	2	—	3	1
	Melæna	1	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—
	Disease of Stomach	14	11	12	2	9	7	13	6	9	8	9	5	10	6	8	12	12	10	13	14
	Enteritis	22	34	32	23	41	26	25	24	20	25	18	20	21	17	47	35	43	27	43	43

No. 17.—Decennial Return showing the Causes of Death registered in the Province—continued.

CLASS.	Cause of Death.	1875.		1876.		1877.		1878.		1879.		1880.		1881.		1882.		1883.		1884.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	<i>Diseases of Digestive System—contd.</i>																				
	Ulceration of Intestine	—	1	3	4	4	1	3	1	—	2	1	4	2	8	4	1	1	1	3	3
	Ileus, Obstruction of Intestine	2	5	1	—	—	—	4	—	3	2	4	3	9	4	7	5	3	—	4	7
	Stricture or Strangulation of Intestine	1	—	—	—	1	—	1	2	6	4	2	—	4	1	2	—	3	3	2	1
	Intussusception of Intestine	3	—	2	2	2	1	2	—	3	—	1	—	2	3	—	—	4	5	3	3
	Hernia	5	1	2	2	3	1	4	2	6	9	17	6	10	6	3	1	4	2	4	6
	Fistula	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Peritonitis	14	30	9	15	7	17	12	20	10	12	20	15	20	24	14	27	22	26	18	28
	Ascites	6	2	4	2	3	2	2	4	3	2	3	1	2	1	1	2	2	2	—	2
	Gallstones	—	1	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	2	3
	Cirrhosis of Liver	6	7	8	3	6	7	4	2	6	9	9	1	9	7	11	6	4	6	16	11
	Other Diseases of Liver	51	45	49	32	37	37	42	35	44	30	43	24	35	36	31	28	41	26	25	25
	Other diseases of Digestive System	6	8	11	3	13	7	9	7	10	8	12	3	13	7	10	12	8	4	3	5
	<i>Diseases of Lymphatic System and Ductless Glands.</i>																				
	Diseases of Lymphatic System	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
	Diseases of Spleen	2	—	4	—	2	—	—	—	—	—	1	—	—	—	1	1	1	1	3	1
	Bronchocele	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1
	<i>Diseases of Urinary System.</i>																				
	Acute Nephritis	6	4	8	1	3	2	10	2	5	4	9	1	4	1	5	3	5	3	10	6
	Bright's Disease	11	10	10	4	10	8	13	8	6	10	9	10	11	12	17	10	15	4	16	12
	Uræmia	1	1	—	—	—	—	—	—	2	1	—	3	1	1	1	—	2	2	2	9
	Suppression of Urine	—	—	4	—	2	1	3	—	—	—	—	—	—	—	1	—	1	1	4	—
	Calculus	—	—	—	1	1	—	1	—	—	—	4	1	—	—	—	—	—	—	4	—
	Hæmaturia	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1
	Diseases of Bladder and of Prostate	6	1	6	—	13	—	7	—	1	1	10	2	10	—	2	1	10	2	12	—
	Other diseases of Urinary System	12	4	15	4	7	7	9	4	5	4	8	5	14	4	16	5	9	7	9	6
	<i>Diseases of Organs of Generation.</i>																				
	Ovarian Disease	—	1	—	—	—	1	—	3	—	2	—	2	—	3	—	2	—	3	—	6
	Diseases of Uterus and Vagina	—	5	—	9	—	4	—	7	—	10	—	3	—	7	—	9	—	8	—	5
	Disorders of Menstruation	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2
	<i>Diseases of Parturition.</i>																				
	Abortion, Miscarriage	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	6
	Puerperal Mania	—	—	—	3	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	2
	Puerperal Convulsions	—	—	—	—	—	—	—	—	5	—	1	—	5	—	4	—	—	—	—	3
	Placenta Prævia, Flooding	—	1	—	1	—	1	—	5	—	2	—	1	—	5	—	2	—	2	—	7
	Phlegmasia Dolens	—	—	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Other Accidents of Childbirth	—	40	—	40	—	40	—	38	—	36	—	31	—	45	—	55	—	39	—	24
	<i>Diseases of Organs of Locomotion.</i>																				
	Caries, Necrosis	2	—	—	—	2	—	1	—	3	—	1	—	1	—	2	1	4	1	2	—
	Arthritis, Ostitis, Periostitis	—	—	1	—	—	—	1	—	2	—	2	—	—	—	1	—	—	2	2	—
	Other diseases of Organs of Locomotion	10	3	4	5	10	3	3	5	7	2	2	3	6	2	6	5	8	5	10	4
	<i>Diseases of Integumentary System.</i>																				
	Carbuncle	—	1	—	1	—	—	1	1	—	1	1	—	2	—	—	1	1	1	—	—
	Phlegmon, Cellulitis	1	1	1	1	—	—	—	—	1	—	1	—	1	1	1	1	—	—	—	—
	Lupus	1	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—
	Ulcer, Bedsore	1	1	—	—	1	2	3	1	4	2	5	1	1	3	1	3	2	1	—	2
	Eczema	—	—	—	—	—	—	—	—	1	—	1	1	—	—	1	—	1	—	1	—
	Pemphigus	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	1	—	1	—
	Other Diseases of Integumentary System	—	—	—	—	1	1	2	1	2	2	2	—	1	2	1	—	1	—	1	2

No. 17.—Decennial Return showing the Causes of Death registered in the Province—continued.

CLASS.	Cause of Death.	1875.		1876.		1877.		1878.		1879.		1880.		1881.		1882.		1883.		1884.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
VII.	<i>Accident or Negligence.</i>																				
	Fracture and Contusion	55	4	58	13	55	4	91	10	76	11	86	10	76	9	68	7	66	13	70	8
	Gunshot Wounds	1	—	1	2	1	—	2	—	4	—	2	1	3	1	4	1	2	—	10	—
	Cut, Stab	2	—	—	—	2	—	5	—	2	—	1	—	—	—	—	—	1	—	1	—
	Burn, Scald	7	10	4	12	7	10	6	9	12	6	6	16	7	21	9	10	10	11	8	18
	Poison	6	—	3	2	6	—	1	2	6	3	3	1	5	3	4	2	5	3	3	—
	Drowning	40	11	45	8	40	11	41	9	49	5	40	7	30	13	38	8	31	8	48	7
	Suffocation	3	6	8	7	3	6	14	5	3	5	5	4	11	5	14	8	9	1	9	1
	Otherwise	—	—	4	—	—	—	5	2	5	2	3	1	6	2	9	2	7	—	18	2
	<i>Homicide.</i>																				
	Murder, Manslaughter	1	1	—	1	1	1	2	2	1	2	3	2	5	1	3	3	2	—	4	1
	<i>Suicide.</i>																				
	Gunshot Wounds	1	—	1	—	1	—	5	—	2	—	6	1	6	—	3	—	—	—	3	—
	Cut, Stab	3	—	3	—	3	—	3	1	5	—	5	—	7	1	6	2	4	1	5	—
	Poison	1	1	1	1	1	1	1	1	3	—	3	—	2	—	1	—	6	—	7	1
	Drowning	6	—	4	2	6	—	1	—	1	—	2	4	4	1	3	—	5	5	3	5
	Hanging	5	—	2	1	5	—	6	—	7	—	3	1	11	1	3	—	7	2	6	1
	Otherwise	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
	<i>Execution.</i>																				
	Hanging	1	—	—	—	1	—	2	—	—	—	—	—	1	—	—	—	2	—	—	—
VIII.	<i>Ill-defined and Not Specified Causes.</i>																				
	Dropsy	16	21	21	26	18	22	14	19	21	21	22	21	14	15	11	11	17	14	22	14
	Debility, Atrophy, Inanition	207	169	153	145	156	180	188	177	168	136	165	147	153	117	170	167	184	169	193	187
	Mortification	3	3	6	2	—	—	2	2	4	5	3	1	6	2	1	5	3	3	4	1
	Tumor	—	3	2	6	—	3	2	3	2	1	2	2	5	2	6	9	—	4	3	6
	Abscess	4	6	7	3	4	3	2	2	2	3	4	—	4	2	7	6	5	—	6	5
	Hæmorrhage	2	3	5	6	13	6	13	9	2	3	—	2	6	2	1	1	2	—	4	2
	Sudden (cause unascertained)	2	3	2	2	2	3	9	1	5	—	8	1	2	—	—	—	—	—	4	—
	Other ill-defined and not specified causes	3	6	13	3	4	13	10	2	5	2	18	1	9	1	8	1	5	—	5	—

No. 18.—Return showing the Number of Persons Married at different Ages in the Province in the Year 1884.

Ages	15 and under 20		25		30		35		40		45		50		55		60		65		70		70 and upwards.		Full.		Under.		Total.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total
Celebrated in Quarter ended—																															
March 31.....	5	113	243	352	260	109	69	36	20	10	18	4	13	10	5	2	4	5	4	3	3	1	3	2	—	—	—	—	647	647	1,294
June 30	5	112	246	342	231	122	89	35	36	15	20	9	14	8	1	3	1	—	5	3	1	1	1	—	1	1	—	—	651	651	1,302
Sept. 30	4	109	215	328	240	110	78	23	28	12	10	10	15	8	7	5	6	2	3	2	1	—	2	—	3	2	—	1	612	612	1,224
Dec. 31	9	103	229	341	232	125	74	33	41	14	22	10	15	9	4	4	9	2	4	2	4	—	—	—	2	2	—	—	645	645	1,290
Total.....	23	417	933	1363	963	466	310	127	125	51	70	33	57	35	17	14	20	9	16	10	9	2	6	2	6	5	—	1	2,555	2,555	5,110
Widowers and Spinsters ...	—	7	4	47	23	44	29	21	27	12	24	6	18	5	6	2	4	2	9	1	1	—	2	—	2	2	—	—	149	149	298
Widowers and Widows	—	—	—	2	2	1	4	13	9	9	9	11	20	16	6	10	9	5	7	6	5	—	4	2	—	—	—	—	75	75	150
Bachelors and Widows	—	—	12	4	21	21	23	24	9	18	11	13	10	7	1	2	3	2	—	1	2	—	—	—	1	1	—	—	93	93	186
Signatures by mark	—	11	21	40	20	18	16	1	4	6	8	4	1	7	1	4	—	2	—	3	—	—	2	1	—	—	—	—	73	97	170

Ages of 2,549 Men and 2,549 Women who intermarried in 1884.

Ages of Husbands.	Ages of Wives.																	Total Husbands.	Ages of Husbands.	
Years.	16.	17.	18.	19.	20.	21.	25.	30.	35.	40.	45.	50.	55.	60.	65.	70.	70 and Upwards.		Years.	
16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16	
17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17	
18	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	18	
19	1	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	5	19	
20	1	2	3	3	3	—	3	2	—	—	—	—	—	—	—	—	—	17	20	
21	1	2	5	6	7	8	14	3	1	—	—	—	—	—	—	—	—	47	21	
25	1	10	33	69	93	126	459	86	8	1	—	—	—	—	—	—	—	886	25	
30	1	2	23	51	80	74	482	216	27	6	1	—	—	—	—	—	—	963	30	
35	—	1	5	9	15	12	118	92	43	8	5	2	—	—	—	—	—	310	35	
40	—	1	—	3	2	2	39	40	21	13	4	—	—	—	—	—	—	125	40	
45	—	—	—	—	—	3	13	13	12	10	9	8	1	—	1	—	—	70	45	
50	—	—	—	—	1	3	3	10	8	8	8	11	2	1	1	1	—	57	50	
55	—	—	—	—	—	3	3	10	8	8	8	11	2	1	1	—	—	17	55	
60	—	—	—	—	—	—	—	—	—	3	3	3	3	3	2	1	—	20	60	
65	—	—	—	—	—	—	—	—	—	1	2	3	5	3	1	3	—	16	65	
70	—	—	—	—	—	—	—	—	—	3	—	2	4	3	1	3	—	68	70	
70 and upwards	—	—	—	—	—	—	—	1	—	—	—	1	1	1	2	2	1	9	70 and upwds	
																			2,549	Husbands.
Total Wives	5	18	70	142	202	229	1,134	466	127	51	33	35	14	9	10	2	2	2,549	Wives.	

Ages of 2,234 Bachelors and 2,234 Spinsters who intermarried in 1884.

Ages of Bachelors.		Ages of Spinsters.																Total Bachelors.	Ages of Bachelors.	
Years.	16.	17.	18.	19.	20.	21.	25.	30.	35.	40.	45.	50.	55.	60.	65.	70.	70 and Upwards.		Years.	
16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	— 16	
17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	— 17	
18	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	— 18	
19	1	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	— 19	
20	1	2	3	3	3	—	3	2	—	—	—	—	—	—	—	—	—	— 20	
21	1	2	5	6	7	8	14	2	—	—	—	—	—	—	—	—	—	— 21	
25	1	10	33	69	93	123	458	82	3	—	—	—	—	—	—	—	—	— 25	
30	1	2	23	50	79	72	470	200	19	1	—	—	—	—	—	—	—	— 30	
35	—	—	5	8	14	11	109	75	28	4	1	—	—	—	—	—	—	— 35	
40	—	1	—	2	1	1	30	30	10	4	2	—	—	—	—	—	—	— 40	
45	—	—	—	—	—	2	4	7	7	3	1	2	—	—	—	—	—	— 45	
50	—	—	—	—	1	2	2	3	2	1	—	—	2	—	—	—	—	— 50	
55	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	— 55	
60	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	— 60	
65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	— 65	
70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	— 70	
70 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	— 70 and upwds	
																		2,234	Bachelors.	
Total Spinsters	5	17	70	139	199	220	1,091	401	69	13	5	4	—	—	—	1	—	2,234	Spinsters.	

Ages of 92 Bachelors and 92 Widows who intermarried in 1884.

Ages of Bachelors.	Ages of Widows.																	Total Bachelors.	Ages of Bachelors.
	16.	17.	18.	19.	20.	21.	25.	30.	35.	40.	45.	50.	55.	60.	65.	70.	70 and Upwards.		
16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16
17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17
18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	18
19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	2	21
25	—	—	—	—	—	—	—	4	5	1	—	—	—	—	—	—	—	10	25
30	—	—	—	—	—	—	2	7	7	4	1	—	—	—	—	—	—	21	30
35	—	—	—	—	—	—	2	6	6	3	4	2	—	—	—	—	—	23	35
40	—	—	—	—	—	—	—	2	3	4	—	—	—	—	—	—	—	9	40
45	—	—	—	—	—	—	—	—	—	4	3	2	1	—	1	—	—	11	45
50	—	—	—	—	—	—	—	1	1	1	4	3	—	—	—	—	—	10	50
55	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	55
60	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	3	60
65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	65
70	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	2	70
70 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	70 and upwds.
Total Widows	—	—	—	—	—	—	4	21	24	18	13	7	2	2	1	—	—	92	Widows.

Ages of 147 Widowers and 147 Spinsters who intermarried in 1884.

Ages of Widowers.	Ages of Spinsters.																	Total Widowers.	Ages of Widowers.
Years.	16.	17.	18.	19.	20.	21.	25.	30.	35.	40.	45.	50.	55.	60.	65.	70.	70 and Upwards.		Years.
16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	— 16
17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	— 17
18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	— 18
19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	— 19
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	— 20
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	— 21
25	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	4 25
30	—	—	—	1	1	2	8	9	1	1	—	—	—	—	—	—	—	23 30
35	—	—	—	1	1	1	8	11	6	—	—	—	—	—	—	—	—	29 35
40	—	1	—	1	1	1	9	8	4	3	—	—	—	—	—	—	—	27 40
45	—	—	—	—	—	1	9	6	4	1	1	2	—	—	—	—	—	24 45
50	—	—	—	—	—	1	1	8	3	3	1	1	—	—	—	—	—	18 50
55	—	—	—	—	—	—	2	1	1	2	—	—	—	—	—	—	—	6 55
60	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	4 60
65	—	—	—	—	—	—	—	—	2	—	2	1	2	1	1	—	—	9 65
70	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1 70
70 and upwards	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	2	70 and upwds.
<hr/>																			
Total Spinsters	—	1	—	3	3	9	38	44	21	12	6	5	2	2	1	—	—	147	Widowers. Spinsters.

Ages of 75 Widowers and 75 Widows who intermarried in 1884.

Ages of Widowers.	Ages of Widows.																	Total Widowers.	Ages of Widowers.
	Years.	16.	17.	18.	19.	20.	21.	25.	30.	35.	40.	45.	50.	55.	60.	65.	70.		70 and Upwards.
16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16
17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17
18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	18
19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25
30	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	30
35	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	35
40	—	—	—	—	—	—	—	1	4	2	2	—	—	—	—	—	—	—	40
45	—	—	—	—	—	—	—	—	1	2	5	1	—	—	—	—	—	—	45
50	—	—	—	—	—	—	—	—	3	3	7	2	1	1	—	—	—	—	50
55	—	—	—	—	—	—	—	—	1	—	2	3	—	—	—	—	—	—	55
60	—	—	—	—	—	—	—	—	—	—	1	3	3	—	2	—	—	—	60
65	—	—	—	—	—	—	—	—	1	1	—	2	1	1	1	—	—	—	65
70	—	—	—	—	—	—	—	—	—	—	—	1	—	2	1	—	—	1	70
70 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	1	70 and upwds.
									</										

No. 19.—Decennial Return showing the Number of Marriages celebrated in the Province.

Year.	Total.	Registered in the Quarter ended last day of—				Celebrated according to rites of—											
		March.	June.	September.	December.	Church of England.	Presbyterian.	Roman Catholic.	Lutheran.	Independent.	Wesleyan.	Christian Brethren.	Church of Christ.	Free Presby- terian.	Baptist.	Bible Chris- tian.	Primitive Methodist.
1875	1,688	406	424	399	459	391	92	199	99	110	306	—	34	9	82	109	162
1876	1,852	485	441	454	472	389	143	193	115	107	353	—	43	6	81	113	197
1877	2,002	473	510	489	530	459	131	241	124	115	342	12	39	19	107	119	171
1878	2,299	658	536	525	580	527	157	264	150	133	370	5	50	17	124	104	192
1879	2,238	623	507	528	580	462	101	335	148	104	392	13	40	11	118	190	170
1880	2,291	667	534	525	565	464	140	297	139	128	375	13	40	15	106	199	160
1881	2,308	600	555	544	609	446	101	321	145	127	398	9	57	3	115	181	179
1882	2,530	605	631	617	677	493	141	329	159	129	458	9	41	3	152	203	193
1883	2,539	691	639	588	621	442	148	326	179	149	392	2	86	1	156	188	191
1884	2,555	647	651	612	645	451	145	331	212	122	409	19	62	3	147	194	169

Decennial Return showing Number of Marriages—continued.

Year.	Celebrated according to rites of—												Contracted between—			
	Free Methodist Church.	Methodist New Connexion.	Independent Methodist.	Friends.	Moravians.	Jews.	Unitarians.	New Jerusalem Church.	District Registrar.	Officiating Registrar.	Salvation Army.	Welsh Free Church.	Bachelor and Spinster.	Bachelor and Widow.	Widower and Spinster.	Widower and Widow.
1875	—	8	—	—	3	2	4	2	75	1	—	—	1,393	76	122	97
1876	—	9	—	—	4	2	—	2	93	2	—	—	1,544	86	145	77
1877	4	5	—	—	—	5	2	5	98	4	—	—	1,706	84	134	78
1878	20	9	—	—	4	5	5	7	93	3	—	—	1,979	89	123	108
1879	22	6	—	—	4	5	9	10	98	—	—	—	1,907	89	141	101
1880	21	9	25	1	4	8	5	9	129	4	—	—	1,967	93	140	91
1881	43	23	—	—	2	2	—	5	146	5	—	—	1,954	115	140	90
1882	48	5	22	—	3	3	13	19	129	5	2	1	1,898	100	278	158
1883	77	—	19	—	2	3	8	11	133	16	9	5	2,102	101	159	87
1884	18	5	—	—	6	1	4	39	157	17	24	2	2,238	93	149	75